

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 1/12

## Mabanol Bremsenreiniger

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Mabanol Bremsenreiniger

Other means of identification:

Mabanol Brake Cleaner

UFI:

P08S-YG83-W5G5-GSQQ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Cleaning agent

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Koreastraße 7

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

E-mail (competent person): giznord@giz-nord.de

#### 1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aerosols ( <i>Aerosol 1</i> )	H222; H229: Extremely flammable aerosol. Pressurised container: May burst if heated.	
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
STOT-single exposure ( <i>STOT SE 3</i> )	H336: May cause drowsiness or dizziness.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	

#### \* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS02**  
Flame



**GHS07**  
Exclamation mark



**GHS09**  
Environment

Signal word: Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 2/12

## Mabanol Bremsenreiniger

### Hazard components for labelling:

n-hexane; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

#### Hazard statements for physical hazards

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

#### Hazard statements for health hazards

H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.

#### Hazard statements for environmental hazards

H411	Toxic to aquatic life with long lasting effects.
------	--

#### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

#### Precautionary statements Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

#### Precautionary statements Response

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor/... if you feel unwell.

#### Precautionary statements Storage

P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
-------------	--

#### Precautionary statements Disposal

P501	Dispose of contents/container to Dispose of waste according to applicable legislation..
------	---

### Additional information:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 2.3. Other hazards

#### Other adverse effects:

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Additional information:

Labelling for contents according to regulation (EC) No. 648/2004 >= 30% aliphatic hydrocarbons

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-49-0 EC No.: 921-024-6 REACH No.: 01-2119475514-35	<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> Aquatic Chronic 2 (H411), Asp. Tox. 1 (H304), Flam. Liq. 2 (H225), STOT SE 3 (H336), Skin Irrit. 2 (H315) Danger	50 - ≤ 100 Vol-%
CAS No.: 124-38-9 EC No.: 204-696-9	<b>carbon dioxide</b> Press. Gas (Liq.) (H280) Warning	3 - < 5 Vol-%

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 3/12

## Mabanol Bremsenreiniger

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 110-54-3 EC No.: 203-777-6 Index No.: 601-037-00-0	<b>n-hexane</b> Aquatic Chronic 2 (H411), Asp. Tox. 1 (H304), Flam. Liq. 2 (H225), Repr. 2 (H361f***), STOT RE 2 (H373**), STOT SE 3 (H336), Skin Irrit. 2 (H315)  Danger <b>Specific concentration limit (SCL)</b> STOT RE 2; H373: C ≥ 5%	1 - < 3 Vol-%

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

##### Following inhalation:

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### In case of skin contact:

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing. And wash it before reuse. Get medical advice/attention.

##### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

##### Following ingestion:

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache. Nausea. Dizziness. Causes skin irritation. May cause drowsiness or dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER or doctor/physician. Symptoms can occur only after several hours.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

Carbon dioxide (CO<sub>2</sub>). Foam. Extinguishing powder. Water mist.

##### Unsuitable extinguishing media:

Full water jet.

#### \* 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. Reignition possible over considerable distance.

##### Hazardous combustion products:

aldehydes. Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Pressurised container: May burst if heated.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 4/12

## Mabanol Bremsenreiniger

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

##### 6.1.2. For emergency responders

**Personal protection equipment:**

Personal protection equipment: see section 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

#### 6.3. Methods and material for containment and cleaning up

**For cleaning up:**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### \* 7.1. Precautions for safe handling

**Protective measures**

**Advices on safe handling:**

Do not pierce or burn, even after use. If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Fire prevent measures:**

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

**Advices on general occupational hygiene**

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures and storage conditions:**

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on storage assembly:**

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

**Storage class (TRGS 510, Germany):** 2B - Aerosol dispensers and lighters

**Further information on storage conditions:**

Protect against: Frost. Protect from direct sunlight. Store in a cool dry place.

#### 7.3. Specific end use(s)

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 5/12

## Mabanol Bremsenreiniger

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 30 Nov 2017	<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6	① 700 mg/m <sup>3</sup> ② 1,400 mg/m <sup>3</sup> ⑤ (C6-C8 Aliphaten)
IOELV (EU)	<b>carbon dioxide</b> CAS No.: 124-38-9 EC No.: 204-696-9	① 5,000 ppm (9,000 mg/m <sup>3</sup> )
TRGS 900 (DE)	<b>carbon dioxide</b> CAS No.: 124-38-9 EC No.: 204-696-9	① 5,000 ppm (9,100 mg/m <sup>3</sup> ) ② 10,000 ppm (18,200 mg/m <sup>3</sup> ) ⑤ DFG, EU
TRGS 900 (DE)	<b>n-hexane</b> CAS No.: 110-54-3 EC No.: 203-777-6	① 50 ppm (180 mg/m <sup>3</sup> ) ② 400 ppm (1,440 mg/m <sup>3</sup> ) ⑤ DFG, EU, Y
IOELV (EU)	<b>n-hexane</b> CAS No.: 110-54-3 EC No.: 203-777-6	① 20 ppm (72 mg/m <sup>3</sup> )

##### 8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
TRGS 903 (DE)	<b>n-hexane</b> CAS No.: 110-54-3 EC No.: 203-777-6	5 mg/L	① 2,5-Hexandion + 4,5-Dihydroxy-2-hexanon, Nach Hydrolyse: ② Urin ③ Expositionsende bzw. Schichtende

##### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6	2,035 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6	608 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6	733 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6	699 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 6/12

## Mabanol Bremsenreiniger

Substance name	DNEL value	① DNEL type ② Exposure route
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS No.: 64742-49-0 EC No.: 921-024-6	699 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects

### \* 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

Eye glasses with side protection (EN 166).

##### Skin protection:

Tested protective gloves must be worn (EN ISO 374). Suitable material: NBR (Nitrile rubber).

Breakthrough time::480 min. Thickness of the glove material: 0,45 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wear suitable protective clothing.

##### Respiratory protection:

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values. insufficient ventilation. aerosol or mist formation.

Suitable respiratory protection apparatus: Combination filtering device.

#### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Aerosol

**Colour:** colourless

**Odour:** not determined

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	No data available		
Initial boiling point and boiling range	88 °C		
Flash point	-12 °C		
Evaporation rate	No data available		
Auto-ignition temperature	> 200 °C		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Density	0.673 g/cm <sup>3</sup>	20 °C	① DIN 51757
Bulk density	not applicable		
Water solubility	practically insoluble		
Kinematic viscosity	< 7 mm <sup>2</sup> /s	40 °C	

### 9.2. Other information

Data apply to the technically active substance. Relative density, Colour, Viscosity.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 7/12

## Mabanol Bremsenreiniger

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable. Ignition hazard.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharge.

#### 10.5. Incompatible materials

Oxidizing agent. Pyrophoric or self-heating substances.

#### 10.6. Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. aldehydes. carbon black.

In case of fire: Gases/vapours, toxic.

#### Further information

Do not mix with other chemicals.

### SECTION 11: Toxicological information

#### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6
<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >23.3 mg/L 4 h (Rat)
<b>n-hexane</b> CAS No.: 110-54-3 EC No.: 203-777-6
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >31.86 mg/L 4 h (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Causes skin irritation.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

No indications of human germ cell mutagenicity exist.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 8/12

## Mabanol Bremsenreiniger

### STOT-single exposure:

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane; n-Hexane)

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

### Additional information:

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 11.2. Information on other hazards

#### Endocrine disrupting properties:

No information available.

## SECTION 12: Ecological information

### \* 12.1. Toxicity

<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6
<b>LC<sub>50</sub>:</b> >1 - 10 mg/L 4 d (fish, Pimephales promelas (fathead minnow))
<b>EC<sub>50</sub>:</b> >1 - 10 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))
<b>ErC<sub>50</sub>:</b> 10 - 30 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
<b>NOEC:</b> 2,045 mg/L 28 d (fish, Oncorhynchus mykiss (Rainbow trout))
<b>NOEC:</b> 1 mg/L 21 d (crustaceans)

#### Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

### \* 12.2. Persistence and degradability

<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6
<b>Biodegradation:</b> —
<b>Remark:</b> Readily biodegradable (according to OECD criteria).

#### Additional information:

The product has not been tested. Readily biodegradable (according to OECD criteria).

### \* 12.3. Bioaccumulative potential

<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6
<b>Log K<sub>OW</sub>:</b> 3.4
<b>n-hexane</b> CAS No.: 110-54-3 EC No.: 203-777-6
<b>Log K<sub>OW</sub>:</b> 3.9

#### Accumulation / Evaluation:

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment cannot be ruled out.

### 12.4. Mobility in soil

The product floats on water surface. Moderate adsorption in soil and sediment.

### \* 12.5. Results of PBT and vPvB assessment

<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> CAS No.: 64742-49-0 EC No.: 921-024-6
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>carbon dioxide</b> CAS No.: 124-38-9 EC No.: 204-696-9
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>n-hexane</b> CAS No.: 110-54-3 EC No.: 203-777-6
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 9/12

## Mabanol Bremsenreiniger

### \* 12.6. Endocrine disrupting properties

No information available.

### 12.7. Other adverse effects

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

16 05 04 *	Gases in pressure containers (including halons) containing hazardous substances
------------	---

\*: Evidence for disposal must be provided.

##### Waste code packaging

15 01 04	metallic packaging
----------	--------------------

### Waste treatment options









#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
UN 1950	UN 1950	UN 1950	UN 1950
<b>14.2. UN proper shipping name</b>			
AEROSOLS (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)	AEROSOLS (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)	AEROSOLS	AEROSOLS
<b>14.3. Transport hazard class(es)</b>			
 2.1	 2.1	 2.1	 2.1
<b>14.4. Packing group</b>			
		-	
<b>14.5. Environmental hazards</b>			
		 MARINE POLLUTANT	
<b>14.6. Special precautions for user</b>			
<b>Special Provisions:</b> 190, 327, 344, 625 <b>Limited quantity (LQ):</b> 1 L <b>Classification code:</b> 5F <b>Tunnel restriction code:</b> (D)	<b>Special Provisions:</b> 190, 327, 344, 625 <b>Limited quantity (LQ):</b> 1 L <b>Classification code:</b> 5F <b>Remark:</b> Warning: Flammable gases	<b>Special Provisions:</b> 63, 190, 277, 327, 344, 959 <b>Limited quantity (LQ):</b> 1000 mL <b>EmS-No.:</b> F-D; S-U	<b>Special Provisions:</b> A145, A167, A802 <b>Limited quantity (LQ):</b> 30kg G <b>Remark:</b> Warning: Flammable gases

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 10/12

## Mabanol Bremsenreiniger

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>Remark:</b> Warning: Flammable gases		<b>Remark:</b> Warning: Flammable gases.	

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3. 29. Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

##### Other regulations (EU):

Hazard categories:

- P3b 'Flammable' aerosols Category 1 or 2, not containing flammable gases Category 1 or 2 nor flammable liquids Category 1
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

To follow: Aerosol Directive (75/324/).

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: No information available.

Observe in addition any national regulations!

#### 15.1.2. National regulations

##### [DE] National regulations

##### Restrictions of occupation

To follow: §22 JArbSchG.

##### Störfallverordnung (12. BImSchV)

###### for substances contained in the product:

Hazard categories:

- P3b 'Flammable' aerosols Category 1 or 2, not containing flammable gases Category 1 or 2 nor flammable liquids Category 1
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

###### for substances possibly developing during an incident:

Hazard categories:

- P3b 'Flammable' aerosols Category 1 or 2, not containing flammable gases Category 1 or 2 nor flammable liquids Category 1
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

##### Water hazard class

###### WGK:

2 - obviously hazardous to water

###### Remark:

Self-classification (mixture; calculation rule).

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### \* 15.3. Additional information

Water hazard class (WGK): 2 (obviously hazardous to water).

## SECTION 16: Other information

### \* 16.1. Indication of changes

2.2.	Label elements
3.2.	Mixtures

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 11/12

## Mabanol Bremsenreiniger

5.2.	Special hazards arising from the substance or mixture
7.1.	Precautions for safe handling
8.1.	Control parameters
8.2.	Exposure controls
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
15.3.	Additional information
16.1.	Indication of changes

### 16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC<sub>50</sub>: Lethal concentration, 50 percent

LD<sub>50</sub>: Lethal dose, 50 percent

NIOSH: National Institute of Occupational Safety and Health

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)

OSHA: Occupational Safety and Health Administration

PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)

PBT: persistent bioaccumulative toxic

PNEC: predicted no effect concentration

REL: Recommended exposure limit (Empfohlene Expositionsgrenze)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)

SVHC: substance of very high concern

TLV: Threshold Limit Values (Schwellwert Grenzwerte)

TRGS Technische Regeln für Gefahrstoffe

TSCA: Toxic Substances Control Act

TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 8 Nov 2023

Print date: 8 Nov 2023

Version: 3



Page 12/12

## Mabanol Bremsenreiniger

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aerosols ( <i>Aerosol 1</i> )	H222; H229: Extremely flammable aerosol. Pressurised container: May burst if heated.	
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
STOT-single exposure ( <i>STOT SE 3</i> )	H336: May cause drowsiness or dizziness.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version.