

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 1/13

## Mabanol Cut 261 BF

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

\* **1.1. Product identifier**

Trade name/designation:

Mabanol Cut 261 BF

UFI:

F0M8-FRAC-8P8Y-GC26

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture:

Metalworking fluids

\* **1.3. Details of the supplier of the safety data sheet**

**Supplier (manufacturer/importer/only representative/downstream user/distributor):**

**Mabanol GmbH & Co. KG**

Am Strandkai 1

20457 Hamburg

Germany

**Telephone:** 0049 (0) 40 36809988

**E-mail:** info@mabanol.com

**Website:** www.mabanol.com

**E-mail (competent person):** giznord@giz-nord.de

\* **1.4. Emergency telephone number**

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	

\* **2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms:**



**GHS07**

Exclamation mark

**Signal word:** Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 2/13

## Mabanol Cut 261 BF

### Hazard components for labelling:

3-iodo-2-propynyl butylcarbamate; dicyclohexylamine

Hazard statements for health hazards	
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information	
EUH208	Contains 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.

Precautionary statements Prevention	
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements Response	
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

### Additional information:

The mixture does not contain substances  $\geq 0.1\%$  of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### \* 3.2. Mixtures

#### Description:

Mixture of base oils and additives.

#### Additional information:

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 112-34-5 EC No.: 203-961-6 Index No.: 603-096-00-8 REACH No.: 01-2119475104-44	<b>2-(2-butoxyethoxy)ethanol</b> Eye Irrit. 2 (H319) Warning <b>Acute Toxicity Estimate</b> ATE (oral) 3,384 mg/kg ATE (dermal) 2,764 mg/kg ATE (inhalation, vapour) 3 mg/L	1 - < 5 weight-%
CAS No.: 101-83-7 EC No.: 202-980-7 REACH No.: 01-2119493354-33	<b>dicyclohexylamine</b> Acute Tox. 3 (H301, H311), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314) Danger <b>Acute Toxicity Estimate</b> ATE (oral) 200 mg/kg ATE (dermal) 200 - 316 mg/kg	< 2 weight-%

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024


Print date: 23 Jul 2024

Version: 5



Page 3/13

## Mabanol Cut 261 BF

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 55406-53-6 EC No.: 259-627-5 Index No.: 616-212-00-7	<b>3-iodo-2-propynyl butylcarbamate</b> Acute Tox. 3 (H331), Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), STOT RE 1 (H372), Skin Sens. 1 (H317)  Danger M-factor (acute): 10 M-factor (chronic): 1 <b>Acute Toxicity Estimate</b> ATE (oral) 1,470 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) 1.5 mg/L	0.1 – < 0.25 weight-%

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### \* 4.1. Description of first aid measures

##### General information:

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice.

##### Following inhalation:

Remove victim out of the danger area. Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

##### In case of skin contact:

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

##### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

##### Following ingestion:

Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Water spray jet. Water mist.

##### Unsuitable extinguishing media:

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

##### Hazardous combustion products:

In case of fire: Gases/vapours, toxic. In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Nitrogen oxides (NO<sub>x</sub>). Phosphorus oxides.

#### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 4/13

## Mabanol Cut 261 BF

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Use personal protection equipment. Remove persons to safety. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Special danger of slipping by leaking/spilling product. Remove all sources of ignition.

##### 6.1.2. For emergency responders

**Personal protection equipment:**

Personal protection equipment: see section 8.

#### 6.2. Environmental precautions

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

**For containment:**

Cover drains. Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up:**

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Protective measures**

**Advices on safe handling:**

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Handle and open container with care. Always close containers tightly after the removal of product. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray. Keep away from sources of ignition - No smoking.

**Fire prevent measures:**

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

**Environmental precautions:**

Shafts and sewers must be protected from entry of the product. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**Advices on general occupational hygiene**

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures and storage conditions:**

Keep container tightly closed in a cool, well-ventilated place. Protect containers against damage. Only use containers specifically approved for the substance/product. Floors should be impervious, resistant to liquids and easy to clean.

**Hints on storage assembly:**

Keep away from: Oxidizing agent.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 5/13

## Mabanol Cut 261 BF

Do not store together with: Food and feedingstuffs.

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

### Further information on storage conditions:

Recommended storage temperature: 5 - 40°C.

Protect against: Frost. Heat. UV-radiation/sunlight. Water. Humidity.  
storage stability: max. 12 month(s).

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### \* 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 1 Mar 2011	<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67 mg/m <sup>3</sup> ) ② 15 ppm (100.5 mg/m <sup>3</sup> ) ⑤ (Aerosol und Dampf) EU, DFG, Y, 11
IOELV (EU)	<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67.5 mg/m <sup>3</sup> ) ② 15 ppm (101.2 mg/m <sup>3</sup> )
TRGS 900 (DE)	<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	① 0.7 ppm (5 mg/m <sup>3</sup> ) ② 1.4 ppm (10 mg/m <sup>3</sup> ) ⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden) AGS, H, Y, 11
TRGS 900 (DE) from 7 Jun 2017	<b>3-iodo-2-propynyl butylcarbamate</b> CAS No.: 55406-53-6 EC No.: 259-627-5	① 0.005 ppm (0.058 mg/m <sup>3</sup> ) ② 0.01 ppm (0.106 mg/m <sup>3</sup> ) ⑤ (Aerosol und Dampf) DFG, Y, Sh, 11

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	67.5 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	20 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.353 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 6/13

## Mabanol Cut 261 BF

Substance name	DNEL value	① DNEL type ② Exposure route
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.1 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	1 mg/L	① PNEC aquatic, freshwater
<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	0.1 mg/L	① PNEC aquatic, marine water
<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	200 mg/L	① PNEC sewage treatment plant
<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	4 mg/kg	① PNEC sediment, freshwater
<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6	0.4 mg/kg	① PNEC sediment, marine water
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.00032 mg/L	① PNEC aquatic, freshwater
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.00003 mg/L	① PNEC aquatic, marine water
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	108 mg/L	① PNEC sewage treatment plant
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.00529 mg/kg	① PNEC sediment, freshwater

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

### 8.2.2. Personal protection equipment

#### Eye/face protection:

Eye glasses with side protection (EN 166).

#### Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Wearing time with permanent contact:

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). Thickness of the glove material: 0,70 mm. Breakthrough time:: > 480 min.

Wearing time with occasional contact (splashes):

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). Thickness of the glove material: 0,40 mm. Breakthrough time:: > 30 min.

Unsuitable material: PVA (Polyvinyl alcohol).

Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Respiratory protection:

Usually no personal respiratory protection necessary.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 7/13

## Mabanol Cut 261 BF

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values. insufficient ventilation. aerosol or mist formation.

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### \* 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: Liquid

Colour: yellow

Odour: not determined

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	9.7	20 °C	① DIN 51369 ② 5 weight-%
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 100 °C		② 1013 hPa
Flash point	> 100 °C		① EN ISO 2592
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	0.955 g/cm <sup>3</sup>	15 °C	① DIN EN ISO 12185
Bulk density	not applicable		
Water solubility	miscible	20 °C	
Dynamic viscosity	No data available		
Kinematic viscosity	≈ 190 mm <sup>2</sup> /s	20 °C	① EN ISO 3104

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 8/13

## Mabanol Cut 261 BF

### SECTION 11: Toxicological information

#### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6
<b>LD<sub>50</sub> oral:</b> 3,384 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> 2,764 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> 3 mg/L 2 h (Rat)
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7
<b>LD<sub>50</sub> oral:</b> 200 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> 200 - 316 mg/kg (Rabbit)
<b>3-iodo-2-propynyl butylcarbamate</b> CAS No.: 55406-53-6 EC No.: 259-627-5
<b>LD<sub>50</sub> oral:</b> 1,470 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> 1.5 mg/L 4 h (Rat)

#### Acute oral toxicity:

No data available. The statement is derived from the properties of the single components.  
Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Irritating to eyes and skin.

#### Serious eye damage/irritation:

Irritating to eyes and skin.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.  
For viscosity data, see section 9.

#### Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties:

No information available.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 9/13

## Mabanol Cut 261 BF

### SECTION 12: Ecological information

#### \* 12.1. Toxicity

<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6
<b>LC<sub>50</sub>:</b> 1,300 mg/L 4 d (fish, <i>Lepomis macrochirus</i> (Bluegill))
<b>EC<sub>50</sub>:</b> >100 mg/L 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))
<b>EC<sub>50</sub>:</b> >100 mg/L 4 d (Algae/water plant, <i>Desmodesmus subspicatus</i> )
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7
<b>LC<sub>50</sub>:</b> 12 mg/L 4 d (fish, <i>Leuciscus idus</i> (golden orfe)) OECD 203
<b>EC<sub>50</sub>:</b> 8 mg/L 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea)) OECD 202
<b>EC<sub>50</sub>:</b> 3.3 mg/L 3 d (Algae/water plant, <i>Scenedesmus subspicatus</i> ) OECD 201
<b>3-iodo-2-propynyl butylcarbamate</b> CAS No.: 55406-53-6 EC No.: 259-627-5
<b>EC<sub>50</sub>:</b> 0.022 mg/L 3 d (Algae/water plant, <i>Scenedesmus subspicatus</i> )
<b>EC<sub>50</sub>:</b> 0.16 mg/L 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))
<b>LC<sub>50</sub>:</b> 0.067 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout))

#### **Aquatic toxicity:**

Harmful to aquatic life.

#### **Additional ecotoxicological information:**

There are no data available on the mixture itself. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Do not allow uncontrolled discharge of product into the environment.

#### \* 12.2. Persistence and degradability

##### **Abiotic degradation:**

Poorly eliminated from water.

##### **Biodegradation:**

Part of the components is biodegradable.

#### 12.3. Bioaccumulative potential

<b>3-iodo-2-propynyl butylcarbamate</b> CAS No.: 55406-53-6 EC No.: 259-627-5
<b>Log K<sub>ow</sub>:</b> 2.81

#### **Accumulation / Evaluation:**

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No information available.

#### \* 12.5. Results of PBT and vPvB assessment

<b>2-(2-butoxyethoxy)ethanol</b> CAS No.: 112-34-5 EC No.: 203-961-6
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>3-iodo-2-propynyl butylcarbamate</b> CAS No.: 55406-53-6 EC No.: 259-627-5
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

No information available.

#### 12.7. Other adverse effects

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 10/13

## Mabanol Cut 261 BF

### SECTION 13: Disposal considerations

#### \* 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

##### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

12 01 07 *	mineral-based machining oils free of halogens (except emulsions and solutions)
------------	--

\*: Evidence for disposal must be provided.

##### Remark:

Waste code product emulsion: 12 01 09\* (machining emulsions and solutions free of halogens).

#### Waste treatment options

##### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal. Dispose of waste according to applicable legislation.

##### Appropriate disposal / Package:

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant.

### SECTION 15: Regulatory information

#### \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

###### Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3. 55. 75.

###### Other regulations (EU):

This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.

Observe in addition any national regulations!

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 11/13

## Mabanol Cut 261 BF

### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 2.16 weight-%

### 15.1.2. National regulations

#### [DE] National regulations

#### Störfallverordnung (12. BImSchV)

##### for substances contained in the product:

This product is not assigned to a hazard category.

#### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

##### Remark:

Weight fraction (Number 5.2.5. I): <5 %.

No flammable liquid according to BetrSichV.

#### Water hazard class

##### WGK:

2 - obviously hazardous to water

##### Remark:

Self-classification (mixture; calculation rule).

#### Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

The product complies with the restrictions of the Technical Rule for Hazardous Substances (TRGS 611).

### 15.2. Chemical Safety Assessment

No information available.

### 15.3. Additional information

Water hazard class (WGK): 2 (obviously hazardous to water).

## SECTION 16: Other information

### \* 16.1. Indication of changes

1.1.	Product identifier
1.3.	Details of the supplier of the safety data sheet
1.4.	Emergency telephone number
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
12.2.	Persistence and degradability
12.5.	Results of PBT and vPvB assessment
13.1.	Waste treatment methods
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.5.	List of relevant hazard statements and/or precautionary statements from sections 2 to 15

### 16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024

Print date: 23 Jul 2024

Version: 5



Page 12/13

## Mabanol Cut 261 BF

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC<sub>50</sub>: Lethal concentration, 50 percent  
LD<sub>50</sub>: Lethal dose, 50 percent  
NIOSH: National Institute of Occupational Safety and Health  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)  
OSHA: Occupational Safety and Health Administration  
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)  
PBT: persistent bioaccumulative toxic  
PNEC: predicted no effect concentration  
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)  
SVHC: substance of very high concern  
TLV: Threshold Limit Values (Schwellwert Grenzwerte)  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	

### \* 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 23 Jul 2024

**Print date:** 23 Jul 2024

**Version:** 5



Page 13/13

## Mabanol Cut 261 BF

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version.