

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 1/13

## Mabanol Cut 269 BF

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Mabanol Cut 269 BF

UFI:

JETV-DSGJ-AHA3-3YEY

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Metalworking fluids

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Am Strandkai 1

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

E-mail (competent person): giznord@giz-nord.de

#### 1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 2/13

## Mabanol Cut 269 BF

### Hazard components for labelling:

dicyclohexylamine; 2-aminoethanol

#### Hazard statements for health hazards

H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

#### Supplemental hazard information

EUH208 Contains 2-n-Butyl-benzo[d]isothiazol-3-on. May produce an allergic reaction.

#### Precautionary statements Prevention

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing and eye protection/face protection.

#### Precautionary statements Response

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

### Additional information:

The mixture does not contain substances  $\geq 0.1\%$  of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Description:

Mixture of base oils and additives.

#### Additional information:

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 3/13

## Mabanol Cut 269 BF

### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 770-35-4 EC No.: 212-222-7	<b>1-Phenoxy-2-propan-2-ol</b> Eye Irrit. 2 (H319) Warning <b>Acute Toxicity Estimate</b> ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, dust/mist) > 5.4 mg/L	1 - < 5 weight-%
CAS No.: 141-43-5 EC No.: 205-483-3 REACH No.: 01-2119486455-28	<b>2-aminoethanol</b> Acute Tox. 4 (H302, H312, H332), Aquatic Chronic 3 (H412), Eye Dam. 1 (H318), STOT SE 3 (H335), Skin Corr. 1B (H314) Danger <b>Specific concentration limit (SCL)</b> STOT SE 3; H335: C ≥ 5% <b>Acute Toxicity Estimate</b> ATE (oral) 1,000 mg/kg ATE (dermal) 1,025 mg/kg ATE (inhalation, vapour) 11 mg/L ATE (inhalation, dust/mist) 1.5 mg/L	1 - < 3 weight-%
CAS No.: 101-83-7 EC No.: 202-980-7 REACH No.: 01-2119493354-33	<b>dicyclohexylamine</b> Acute Tox. 3 (H301, H311), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314) Danger <b>Acute Toxicity Estimate</b> ATE (oral) 200 mg/kg ATE (dermal) 200 - 316 mg/kg	< 1 weight-%
CAS No.: 4299-07-4 EC No.: 420-590-7	<b>2-n-Butyl-benzo[d]isothiazol-3-on</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314), Skin Sens. 1 (H317) Danger M-factor (acute): 10 M-factor (chronic): 1	< 0.25 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice.

#### Following inhalation:

Remove victim out of the danger area. Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

#### Following ingestion:

Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 4/13

## Mabanol Cut 269 BF

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media:**

Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Water spray jet. Water mist.

**Unsuitable extinguishing media:**

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

**Hazardous combustion products:**

In case of fire: Gases/vapours, toxic.

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Nitrogen oxides (NO<sub>x</sub>). Phosphorus oxides.

#### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Use personal protection equipment. Remove persons to safety. Ventilate affected area. Avoid contact with skin, eyes and clothes. Special danger of slipping by leaking/spilling product. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition.

##### 6.1.2. For emergency responders

**Personal protection equipment:**

Personal protection equipment: see section 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

**For containment:**

Cover drains. Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control. Prevent spread over a wide area (e.g. by containment or oil barriers).

**For cleaning up:**

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 5/13

## Mabanol Cut 269 BF

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Handle and open container with care. Always close containers tightly after the removal of product. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray. Keep away from sources of ignition - No smoking.

##### Fire prevent measures:

Only use the material in places where open light, fire and other flammable sources can be kept away.

##### Environmental precautions:

Do not empty into drains. Do not allow to enter into soil/subsoil. Shafts and sewers must be protected from entry of the product.

##### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Technical measures and storage conditions:

Do not empty into drains. Do not allow to enter into soil/subsoil. Shafts and sewers must be protected from entry of the product.

##### Hints on storage assembly:

Do not store together with: Food and feedingstuffs.

Keep away from: Oxidizing agent.

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

##### Further information on storage conditions:

Recommended storage temperature: 5 - 40°C.

Protect against: Frost. Heat. UV-radiation/sunlight. Water. Humidity.

storage stability: max. 12 month(s).

#### 7.3. Specific end use(s)

No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
IOELV (EU)	<b>2-aminoethanol</b> CAS No.: 141-43-5 EC No.: 205-483-3	① 1 ppm (2.5 mg/m <sup>3</sup> ) ② 3 ppm (7.6 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)
TRGS 900 (DE) from 4 Nov 2016	<b>2-aminoethanol</b> CAS No.: 141-43-5 EC No.: 205-483-3	① 0.2 ppm (0.5 mg/m <sup>3</sup> ) ② 0.2 ppm (0.5 mg/m <sup>3</sup> ) ⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden) DFG, EU, Y, Sh, H, 11

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 6/13

## Mabanol Cut 269 BF

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	① 0.7 ppm (5 mg/m <sup>3</sup> ) ② 1.4 ppm (10 mg/m <sup>3</sup> ) ⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden) AGS, H, Y, 11

### 8.1.2. Biological limit values

No data available

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>1-Phenoxy-2-propan-2-ol</b> CAS No.: 770-35-4 EC No.: 212-222-7	25.7 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>1-Phenoxy-2-propan-2-ol</b> CAS No.: 770-35-4 EC No.: 212-222-7	42 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
<b>2-aminoethanol</b> CAS No.: 141-43-5 EC No.: 205-483-3	3.3 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, systemic effects
<b>2-aminoethanol</b> CAS No.: 141-43-5 EC No.: 205-483-3	1 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.353 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.1 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
<b>1-Phenoxy-2-propan-2-ol</b> CAS No.: 770-35-4 EC No.: 212-222-7	0.1 mg/L	① PNEC aquatic, freshwater
<b>1-Phenoxy-2-propan-2-ol</b> CAS No.: 770-35-4 EC No.: 212-222-7	0.01 mg/L	① PNEC aquatic, marine water
<b>1-Phenoxy-2-propan-2-ol</b> CAS No.: 770-35-4 EC No.: 212-222-7	10 mg/L	① PNEC sewage treatment plant
<b>1-Phenoxy-2-propan-2-ol</b> CAS No.: 770-35-4 EC No.: 212-222-7	0.38 mg/kg	① PNEC sediment, freshwater
<b>1-Phenoxy-2-propan-2-ol</b> CAS No.: 770-35-4 EC No.: 212-222-7	0.038 mg/kg	① PNEC sediment, marine water
<b>2-aminoethanol</b> CAS No.: 141-43-5 EC No.: 205-483-3	0.085 mg/L	① PNEC aquatic, freshwater
<b>2-aminoethanol</b> CAS No.: 141-43-5 EC No.: 205-483-3	0.0085 mg/L	① PNEC aquatic, marine water
<b>2-aminoethanol</b> CAS No.: 141-43-5 EC No.: 205-483-3	100 mg/L	① PNEC sewage treatment plant

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 7/13

## Mabanol Cut 269 BF

Substance name	PNEC Value	① PNEC type
<b>2-aminoethanol</b> CAS No.: 141-43-5 EC No.: 205-483-3	0.425 mg/kg	① PNEC sediment, freshwater
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.00032 mg/L	① PNEC aquatic, freshwater
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.00003 mg/L	① PNEC aquatic, marine water
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	108 mg/L	① PNEC sewage treatment plant
<b>dicyclohexylamine</b> CAS No.: 101-83-7 EC No.: 202-980-7	0.00529 mg/ kg	① PNEC sediment, freshwater

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Use only in well-ventilated areas. If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

Eye glasses with side protection (EN 166).

##### Skin protection:

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves must be worn (EN ISO 374). Do not wear gloves near rotary machines and tools.

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber).

Wearing time with permanent contact:

Thickness of the glove material: 0,70 mm. Breakthrough time:: > 480 min.

Wearing time with occasional contact (splashes):

Thickness of the glove material: 0,40 mm. Breakthrough time:: > 30 min.

Unsuitable material: PVA (Polyvinyl alcohol).

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Check leak tightness/impermeability prior to use.

Suitable protective clothing: Not readily flammable.

##### Respiratory protection:

Usually no personal respiratory protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values. insufficient ventilation. aerosol or mist formation.

#### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** yellow

**Odour:** not determined

**flammability:** No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 8/13

## Mabanol Cut 269 BF

### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	9.9	20 °C	① DIN 51369 ② 5 weight-%
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 100		② 1013 hPa
Flash point	> 100 °C		① EN ISO 2592
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	0.986 g/cm <sup>3</sup>	15 °C	① DIN EN ISO 12185
Bulk density	not applicable		
Water solubility	miscible	20 °C	
Dynamic viscosity	No data available		
Kinematic viscosity	≈ 115 mm <sup>2</sup> /s	20 °C	① EN ISO 3104

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**2-aminoethanol** CAS No.: 141-43-5 EC No.: 205-483-3

**LD<sub>50</sub> oral:** 1,000 mg/kg (Rat)

**LD<sub>50</sub> dermal:** 1,025 mg/kg (Rabbit)

**dicyclohexylamine** CAS No.: 101-83-7 EC No.: 202-980-7

**LD<sub>50</sub> oral:** 200 mg/kg (Rat)

**LD<sub>50</sub> dermal:** 200 - 316 mg/kg (Rabbit)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 9/13

## Mabanol Cut 269 BF

**1-Phenoxy-2-propan-2-ol** CAS No.: 770-35-4 EC No.: 212-222-7

**LD<sub>50</sub> oral:** >2,000 mg/kg (Rat)

**LD<sub>50</sub> dermal:** >2,000 mg/kg (Rat)

**LC<sub>50</sub> Acute inhalation toxicity (dust/mist):** >5.4 mg/L

### Acute oral toxicity:

No data available. The statement is derived from the properties of the single components.  
Based on available data, the classification criteria are not met.

### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation:

Causes skin irritation.

### Serious eye damage/irritation:

Causes eye irritation.

### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.  
Contains 2-n-Butyl-benzo[d]isothiazol-3-on. May produce an allergic reaction.  
May cause sensitisation especially in sensitive humans.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.  
For viscosity data, see section 9.

### Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

## 11.2. Information on other hazards

### Endocrine disrupting properties:

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

**2-aminoethanol** CAS No.: 141-43-5 EC No.: 205-483-3

**LC<sub>50</sub>:** >100 mg/L 4 d (fish, Cyprinus carpio (Common Carp)) OECD 203

**EC<sub>50</sub>:** 65 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

**EC<sub>50</sub>:** 22 mg/L 3 d (Algae/water plant, Scenedesmus quadricauda)

**dicyclohexylamine** CAS No.: 101-83-7 EC No.: 202-980-7

**LC<sub>50</sub>:** 12 mg/L 4 d (fish, Leuciscus idus (golden orfe)) OECD 203

**EC<sub>50</sub>:** 8 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202

**EC<sub>50</sub>:** 3.3 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus) OECD 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 10/13

## Mabanol Cut 269 BF

**1-Phenoxy-2-propan-2-ol** CAS No.: 770-35-4 EC No.: 212-222-7

**LC<sub>50</sub>**: >100 mg/L (fish, Pimephales promelas (fathead minnow)) OECD 203

**EC<sub>50</sub>**: >370 mg/L (crustaceans, Daphnia magna (Big water flea)) OECD 202

**EC<sub>50</sub>**: >100 mg/L (Algae/water plant, Desmodesmus subspicatus)

### Aquatic toxicity:

Harmful to aquatic life.

### Additional ecotoxicological information:

There are no data available on the mixture itself. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Do not allow uncontrolled discharge of product into the environment.

### 12.2. Persistence and degradability

#### Abiotic degradation:

Poorly eliminated from water.

#### Biodegradation:

Part of the components is biodegradable.

### 12.3. Bioaccumulative potential

#### Accumulation / Evaluation:

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

**2-aminoethanol** CAS No.: 141-43-5 EC No.: 205-483-3

**Results of PBT and vPvB assessment:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

**dicyclohexylamine** CAS No.: 101-83-7 EC No.: 202-980-7

**Results of PBT and vPvB assessment:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

**2-n-Butyl-benzo[d]isothiazol-3-on** CAS No.: 4299-07-4 EC No.: 420-590-7

**Results of PBT and vPvB assessment:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

**1-Phenoxy-2-propan-2-ol** CAS No.: 770-35-4 EC No.: 212-222-7

**Results of PBT and vPvB assessment:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

No information available.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

12 01 07 \* mineral-based machining oils free of halogens (except emulsions and solutions)

\*: Evidence for disposal must be provided.

#### Remark:

Waste code product (emulsion): 12 01 09\* (machining emulsions and solutions free of halogens).

#### Waste treatment options

#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 11/13

## Mabanol Cut 269 BF

### Appropriate disposal / Package:

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3. 40. 70. 75.

##### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: No information available.

Observe in addition any national regulations!

#### 15.1.2. National regulations

##### [DE] National regulations

##### Störfallverordnung (12. BImSchV)

###### for substances contained in the product:

This product is not assigned to a hazard category.

##### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

###### Remark:

Weight fraction (Number 5.2.5. I): <5 %.

No flammable liquid according to BetrSichV.

##### Water hazard class

###### WGK:

1 - slightly hazardous to water

###### Remark:

Self-classification (mixture; calculation rule).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 12/13

## Mabanol Cut 269 BF

### Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

The product complies with the restrictions of the Technical Rule for Hazardous Substances (TRGS 611).

### 15.2. Chemical Safety Assessment

No information available.

### 15.3. Additional information

Water hazard class (WGK): 1 (slightly hazardous to water).

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC<sub>50</sub>: Lethal concentration, 50 percent

LD<sub>50</sub>: Lethal dose, 50 percent

NIOSH: National Institute of Occupational Safety and Health

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)

OSHA: Occupational Safety and Health Administration

PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)

PBT: persistent bioaccumulative toxic

PNEC: predicted no effect concentration

REL: Recommended exposure limit (Empfohlene Expositionsgrenze)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)

SVHC: substance of very high concern

TLV: Threshold Limit Values (Schwellwert Grenzwerte)

TRGS Technische Regeln für Gefahrstoffe

TSCA: Toxic Substances Control Act

TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

### 16.3. Key literature references and sources for data

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Mar 2026

Print date: 17 Mar 2026

Version: 1



Page 13/13

## Mabanol Cut 269 BF

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.