according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Jul 2023 Print date: 19 Jul 2023 Version: 1



Page 1/11

Mabanol Cut E 92 BF

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

Mabanol Cut E 92 BF

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Metalworking fluids

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG Koreastraße 7 20457 Hamburg Germany Telephone: 0049 (0) 40 36809988 E-mail: info@mabanol.com Website: www.mabanol.com

E-mail (competent person): giznord@giz-nord.de

1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification	according	to Red	nulation (FC)	No 1272	/2008	
Classification	according	LU NEU	<i>μ</i> ιατιστι (./2000	

Hazard classes categories	and hazard	Hazard statements	Classification procedure
Hazardous to the (Aquatic Chronic		H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling:

2-n-Butyl-benzo[d]isothiazol-3-on; 1-phenoxypropan-2-ol; Alcohols, C16-18 and C18-unsatd., ethoxylated Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information

EUH208 Contains 2-n-Butyl-benzo[d]isothiazol-3-on. May produce an allergic reaction.

Precautionary statements Prevention

P273 Avoid release to the environment.

Additional information:

This product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

2.3. Other hazards

No data available

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Jul 2023

Print date: 19 Jul 2023 Version: 1



Page 2/11

Mabanol Cut E 92 BF

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

Mixture of substances listed below and other non-classified substances.

Hazardous ingredients / Hazardous impurities / Stabilisers:

	· · · · · · · · · · · · · · · · · · ·	
Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 770-35-4 EC No.: 212-222-7	1-phenoxypropan-2-ol Eye Irrit. 2 (H319)	1 - < 5 weight-%
REACH No.: 01-2119486566-23	() Warning	
CAS No.: 68920-66-1 EC No.: 500-236-9 REACH No.: 01-2119489407-26	Alcohols, C16-18 and C18-unsatd., ethoxylated Aquatic Chronic 2 (H411), Skin Irrit. 2 (H315) Warning	2.5 – < 5 weight-%
CAS No.: 4299-07-4 EC No.: 420-590-7	2-n-Butyl-benzo[d]isothiazol-3-on Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1A (H314), Skin Sens. 1 (H317)	0.1 - < 0.25 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice. Following inhalation:

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Change contaminated, saturated clothing. In case of skin irritation, consult a physician.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed No information available.

4.3. Indication of any immediate medical attention and special treatment needed First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Foam. Extinguishing powder. Carbon dioxide (CO2). Water spray jet. Water mist. Sand.

Unsuitable extinguishing media:

Strong water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

according to Regulation (EC) No. 1907/2006 (REACH) **Revision date:** 19 Jul 2023

Print date: 19 Jul 2023 Version: 1



Page 3/11

Mabanol Cut E 92 BF

Hazardous combustion products:

In case of fire: Gases/vapours, toxic. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx).

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Do not breathe vapour/aerosol. Keep away from sources of ignition - No smoking. Special danger of slipping by leaking/spilling product.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Cover drains. Move undamaged containers from immediate hazard area if it can be done safely. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Handle and open container with care. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/ spray. Special danger of slipping by leaking/spilling product.

Fire prevent measures:

Usual measures for fire prevention.

Keep away from sources of ignition - No smoking.

Environmental precautions:

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Shafts and sewers must be protected from entry of the product.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Jul 2023 Print date: 19 Jul 2023 Version: 1



Page 4/11

Mabanol Cut E 92 BF

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product. Protect containers against damage. Floors should be impervious, resistant to liquids and easy to clean.

Hints on storage assembly:

Keep away from: Oxidizing agent.

Do not store together with: Food and feedingstuffs.

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Recommended storage temperature: 5 - 40°C. Protect against: Frost. Heat. UV-radiation/sunlight. Water. Humidity. storage stability: max. 12 month(s).

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available 8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	1 DNEL type
		② Exposure route
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7	25.7 mg/m ³	 DNEL worker Long-term – inhalation, systemic effects
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7	42 mg/kg bw/ day	 DNEL worker Long-term - dermal, systemic effects
Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9	87 mg/m³	 DNEL Consumer Long-term – inhalation, systemic effects
Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9	294 mg/m ³	 DNEL worker Acute - inhalation, systemic effects

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Jul 2023 Print date: 19 Jul 2023 Version: 1



Page 5/11

Mabanol Cut E 92 BF

Substance name	DNEL value	1 DNEL type
		② Exposure route
Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9	2,080 mg/kg bw/day	 DNEL worker Long-term - dermal, systemic effects
Substance name	PNEC Value	① PNEC type
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7	0.1 mg/L	① PNEC aquatic, freshwater
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7	0.01 mg/L	① PNEC aquatic, marine water
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7	10 mg/L	① PNEC sewage treatment plant
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7	0.38 mg/kg	① PNEC sediment, freshwater
1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7	0.038 mg/kg	① PNEC sediment, marine water
Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9	0.002 mg/L	 PNEC aquatic, freshwater
Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9	0.002 mg/L	① PNEC aquatic, marine water
Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9	10,000 mg/L	① PNEC sewage treatment plant
Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9	6.33 mg/kg	① PNEC sediment, freshwater
Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9	6.33 mg/kg	① PNEC sediment, marine water

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Use only in well-ventilated areas. If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection (EN 166).

Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Wearing time with permanent contact:

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber).

Thickness of the glove material: 0,70 mm. Breakthrough time:: > 480 min.

Wearing time with occasional contact (splashes):

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber).

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Jul 2023 Print date: 19 Jul 2023 Version: 1



Page 6/11

Mabanol Cut E 92 BF

Thickness of the glove material: 0,40 mm. Breakthrough time:: > 30 min. Unsuitable material: PVA (Polyvinyl alcohol).

Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection:

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values. insufficient ventilation. aerosol or mist formation.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Odour: not determined Colour: yellow

Safety relevant basis data

Parameter	Value	at °C	1 Method
			② Remark
рН	9.4	20 °C	① DIN 51369
			② 5 weight-%
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	> 100 °C		② 1013 hPa
Decomposition temperature	not determined		
Flash point	> 100 °C		1 EN ISO 2592
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	0.99 g/cm³	15 °C	1 DIN EN ISO 12185
Relative density	not determined		
Bulk density	not determined		
Water solubility	miscible	20 °C	
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	120 mm²/s	20 °C	1 EN ISO 3104

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Jul 2023 Print date: 19 Jul 2023 Version: 1



Page 7/11

Mabanol Cut E 92 BF

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong. Acid.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7

LD₅₀ oral: >2,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (dust/mist): >5.4 mg/L (Rat)

Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9

LD₅₀ oral: >2,000 mg/kg (Rat) OECD 401

LD₅₀ dermal: >2,000 mg/kg (Rabbit) OECD 402

LC₅₀ Acute inhalation toxicity (vapour): >1.6 mg/L 4 h (Rat) OECD 403

Acute oral toxicity:

No data available. The statement is derived from the properties of the single components. Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

slightly irritant but not relevant for classification.

Serious eye damage/irritation:

slightly irritant but not relevant for classification.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

For viscosity data, see section 9.

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

11.2. Information on other hazards

Endocrine disrupting properties:

No information available.

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Jul 2023 Print date: 19 Jul 2023



Version: 1 Page 8/11

Mabanol Cut E 92 BF

SECTION 12: Ecological information

12.1. Toxicity

1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7

LC₅₀: >100 mg/L (fish, Pimephales promelas (fathead minnow)) OECD 203

EC₅₀: >370 mg/L (crustaceans, Daphnia magna (Big water flea)) OECD 202

EC₅₀: >100 mg/L (Algae/water plant, Desmodesmus subspicatus)

Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9

LC50: 10 - 100 mg/L 4 d (fish, Danio rerio (zebrafish)) OECD 203

EC₅₀: 51 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202

Aquatic toxicity:

Harmful to aquatic life.

Additional ecotoxicological information:

There are no data available on the mixture itself. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3). Do not allow uncontrolled discharge of product into the environment.

12.2. Persistence and degradability

Biodegradation:

Part of the components is biodegradable.

12.3. Bioaccumulative potential

Accumulation / Evaluation:

No indication of bioaccumulation potential. On the basis of existing data about the elimination/ degradation and bioaccumulation potential longer term damage to the environment cannot be ruled out.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

1-phenoxypropan-2-ol CAS No.: 770-35-4 EC No.: 212-222-7

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. Alcohols, C16-18 and C18-unsatd., ethoxylated CAS No.: 68920-66-1 EC No.: 500-236-9

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

2-n-Butyl-benzo[d]isothiazol-3-on CAS No.: 4299-07-4 EC No.: 420-590-7

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

12 01 07 * mineral-based machining oils free of halogens (except emulsions and solutions)

*: Evidence for disposal must be provided.

Remark:

Waste code product emulsion: 12 01 09*.

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Jul 2023

Print date: 19 Jul 2023 Version: 1



Page 9/11

Mabanol Cut E 92 BF

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		
No dangerous good in sense of these transport regulations.			
14.2. UN proper ship	ping name	·	
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport haza	rd class(es)	•	,
not relevant	not relevant	not relevant	not relevant
14.4. Packing group		·	
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3. 75.

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available. Observe in addition any national regulations!

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 2 weight-%

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

Weight fraction (Number 5.2.5. I): <5 %. No flammable liquid according to BetrSichV.

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Jul 2023

Print date: 19 Jul 2023 Version: 1



Page 10/11

Mabanol Cut E 92 BF

Water hazard class

WGK:

1 - slightly hazardous to water

Remark:

Self-classification (mixture; calculation rule).

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

The product complies with the restrictions of the Technical Rule for Hazardous Substances (TRGS 611).

15.2. Chemical Safety Assessment

No information available.

15.3. Additional information

Water hazard class (WGK): 1 (slightly hazardous to water).

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road) AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen **CAS Chemical Abstracts Service** DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC₅₀: Lethal concentration, 50 percent LD₅₀: Lethal dose, 50 percent NIOSH: National Institute of Occupational Safety and Health NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OEL: Occupational Exposure imit (Arbeitsplatzgrenzwert) OSHA: Occupational Safety and Health Administration PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert) PBT: persistent bioaccumulative toxic PNEC: predicted no effect concentration REL: Recommended exposure limit (Empfohlene Expositionsgrenze) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min) SVHC: substance of very high concern TLV: Threshold Limit Values (Schwellwert Grenzwerte) TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h) VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Jul 2023 Print date: 19 Jul 2023



Version: 1 Page 11/11

Mabanol Cut E 92 BF

WGK: Wassergefährdungsklasse

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.