

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 1/12

## Mabanol Cut Lub 14 G HP

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Mabanol Cut Lub 14 G HP

UFI:

672Q-7FP5-1671-7VN3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Metalworking fluids

#### \* 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Am Strandkai 1

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

E-mail (competent person): giznord@giz-nord.de

#### \* 1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard ( <i>Asp. Tox. 1</i> )	H304: May be fatal if swallowed and enters airways.	

#### \* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS08

Health hazard

Signal word: Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 2/12

## Mabanol Cut Lub 14 G HP

### Hazard components for labelling:

C18-C50 branched, cyclic and linear hydrocarbons - Distillates

#### Hazard statements for health hazards

H304	May be fatal if swallowed and enters airways.
------	---

#### Precautionary statements Response

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/Emergency telephone number.
P331	Do NOT induce vomiting.

#### Precautionary statements Storage

P405	Store locked up.
------	------------------

### Additional information:

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### \* 3.2. Mixtures

#### Description:

Mixture of base oils and additives.

#### Additional information:

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 848301-69-9 EC No.: 482-220-0 REACH No.: 01-0000020163-82	<b>C18-C50 branched, cyclic and linear hydrocarbons - Distillates</b> Asp. Tox. 1 (H304) Danger <b>Acute Toxicity Estimate</b> ATE (oral) > 5,000 mg/kg ATE (dermal) > 5,000 mg/kg ATE (inhalation, vapour) > 5 mg/L	75 - < 80 weight-%
CAS No.: 68584-23-6 EC No.: 271-529-4 REACH No.: 01-2119492627-25	<b>Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts</b> Skin Sens. 1B (H317) Warning <b>Specific concentration limit (SCL)</b> Skin Sens. 1B; H317: C ≥ 10%	0.1 - < 0.5 weight-%
CAS No.: 128-37-0 EC No.: 204-881-4 REACH No.: 01-2119565113-46	<b>2,6-di-tert-butyl-p-cresol</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410) Warning <b>Acute Toxicity Estimate</b> ATE (oral) > 2,930 mg/kg ATE (dermal) > 2,000 mg/kg	< 0.25 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

When in doubt or if symptoms are observed, get medical advice.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 3/12

## Mabanol Cut Lub 14 G HP

### Following inhalation:

Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

### In case of skin contact:

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

### Following ingestion:

Do NOT induce vomiting. Call a physician immediately. Rinse mouth thoroughly with water. Observe risk of aspiration if vomiting occurs.

### Self-protection of the first aider:

No direct artificial respiration to be given by first aider.

### \* 4.2. Most important symptoms and effects, both acute and delayed

Cough. Respiratory complaints. Dyspnoea. Fever. Pneumonia. Pulmonary oedema.  
Symptoms can occur only after several hours.

### \* 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms. Observe risk of aspiration if vomiting occurs.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Water spray jet. Water mist.

#### Unsuitable extinguishing media:

Strong water jet.

### \* 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

#### Hazardous combustion products:

In case of fire: Gases/vapours, toxic.

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Nitrogen oxides (NO<sub>x</sub>).

### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Ventilate affected area. Remove all sources of ignition.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8.

### 6.2. Environmental precautions

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 28 Aug 2025

**Print date:** 28 Aug 2025

**Version:** 2



Page 4/12

## Mabanol Cut Lub 14 G HP

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Cover drains. Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Handle and open container with care. Always close containers tightly after the removal of product. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray. Keep away from sources of ignition - No smoking.

#### Fire prevent measures:

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

#### Environmental precautions:

Shafts and sewers must be protected from entry of the product. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Protect containers against damage. Only use containers specifically approved for the substance/product. Floors should be impervious, resistant to liquids and easy to clean.

#### Hints on storage assembly:

Do not store together with: Food and feedingstuffs.

Keep away from: Oxidizing agent.

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

Recommended storage temperature: 5 - 40°C.

Protect against: Frost. Heat. UV-radiation/sunlight. Water. Humidity.

storage stability: max. 24 month(s).

### 7.3. Specific end use(s)

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 5/12

## Mabanol Cut Lub 14 G HP

### SECTION 8: Exposure controls/personal protection

#### \* 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 1 Jul 2012	<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4	① 10 mg/m <sup>3</sup> ② 40 mg/m <sup>3</sup> ⑤ (Aerosol und Dampf, einatembare Fraktion) DFG, Y, 11

##### 8.1.2. Biological limit values

No data available

##### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4	5.8 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4	8.3 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4	0.004 mg/L	① PNEC aquatic, freshwater
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4	0.0004 mg/L	① PNEC aquatic, marine water
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4	100 mg/L	① PNEC sewage treatment plant
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4	1.29 mg/kg	① PNEC sediment, freshwater

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

##### 8.2.2. Personal protection equipment

###### Eye/face protection:

Eye glasses with side protection (EN 166).

###### Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Wearing time with permanent contact:

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). PVA (Polyvinyl alcohol).

Thickness of the glove material: 0,70 mm. Breakthrough time:: > 480 min.

Wearing time with occasional contact (splashes):

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). PVA (Polyvinyl alcohol).

Thickness of the glove material: 0,40 mm. Breakthrough time:: > 30 min.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 6/12

## Mabanol Cut Lub 14 G HP

Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable protective clothing: flame-resistant.

### Respiratory protection:

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values. insufficient ventilation. aerosol or mist formation.

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### \* 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** brown

**Odour:** not determined

**flammability:** No data available

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	No data available		
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 220 °C		② 1013 hPa
Flash point	196 °C		① EN ISO 2592
Evaporation rate	No data available		
Auto-ignition temperature	> 220 °C		
Upper/lower flammability or explosive limits	0.6 - 6.5 Vol-%		
Vapour pressure	No data available		
Vapour density	No data available		
Density	0.847 g/cm <sup>3</sup>	15 °C	① DIN EN ISO 12185
Bulk density	not applicable		
Water solubility	practically insoluble	20 °C	
Dynamic viscosity	No data available		
Kinematic viscosity	≈ 13 mm <sup>2</sup> /s	40 °C	① EN ISO 3104

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### \* 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 7/12

## Mabanol Cut Lub 14 G HP

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong.

### \* 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>C18-C50 branched, cyclic and linear hydrocarbons - Distillates</b> CAS No.: 848301-69-9 EC No.: 482-220-0
<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >5,000 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >5 mg/L 4 h (Rat)
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4
<b>LD<sub>50</sub> oral:</b> >2,930 mg/kg (Rat) OECD 401
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit) OECD 402

#### Acute oral toxicity:

No data available. The statement is derived from the properties of the single components.  
Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

May be fatal if swallowed and enters airways.  
For viscosity data, see section 9.

#### Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

### 11.2. Information on other hazards

#### Endocrine disrupting properties:

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 8/12

## Mabanol Cut Lub 14 G HP

### SECTION 12: Ecological information

#### \* 12.1. Toxicity

<b>C18-C50 branched, cyclic and linear hydrocarbons - Distillates</b> CAS No.: 848301-69-9 EC No.: 482-220-0
LC <sub>50</sub> : >100 mg/L (fish)
EC <sub>50</sub> : >100 mg/L (crustaceans)
EC <sub>50</sub> : >100 mg/L (Algae/water plant)
<b>Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts</b> CAS No.: 68584-23-6 EC No.: 271-529-4
LC <sub>50</sub> : >1,000 mg/L 4 d (fish)
EC <sub>50</sub> : >1,000 mg/L 4 d (crustaceans)
NOEC: >1,000 mg/L 21 d (Algae/water plant)
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4
LC <sub>50</sub> : 0.199 mg/L 4 d (fish, <i>Oryzias latipes</i> (Ricefish)) OECD 203
EC <sub>50</sub> : 0.48 mg/L 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea)) OECD 202
NOEC: 0.069 mg/L 21 d (crustaceans, <i>Daphnia magna</i> (Big water flea)) OECD 211
ErC <sub>50</sub> : 0.758 mg/L 4 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i> ) OECD 201

#### Aquatic toxicity:

Harmless to aquatic organisms up to the tested concentration.

#### Additional ecotoxicological information:

There are no data available on the mixture itself. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Do not allow uncontrolled discharge of product into the environment.

#### \* 12.2. Persistence and degradability

<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4
Biodegradation: —
Remark: Not readily biodegradable (according to OECD criteria)

#### Biodegradation:

Moderately/partially biodegradable.

#### Additional information:

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

#### \* 12.3. Bioaccumulative potential

<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4
Log K <sub>ow</sub> : 5.03
Bioconcentration factor (BCF): 465 Species: fish

#### Accumulation / Evaluation:

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No information available.

#### \* 12.5. Results of PBT and vPvB assessment

<b>C18-C50 branched, cyclic and linear hydrocarbons - Distillates</b> CAS No.: 848301-69-9 EC No.: 482-220-0
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts</b> CAS No.: 68584-23-6 EC No.: 271-529-4
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>2,6-di-tert-butyl-p-cresol</b> CAS No.: 128-37-0 EC No.: 204-881-4
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 9/12

## Mabanol Cut Lub 14 G HP

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### \* 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.1.1. Product/Packaging disposal

##### Waste codes/waste designations according to EWC/AVV

##### Waste code product

12 01 07 *	mineral-based machining oils free of halogens (except emulsions and solutions)
------------	--

\*: Evidence for disposal must be provided.

##### Waste treatment options

##### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal. Dispose of waste according to applicable legislation.

##### Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

### 13.2. Additional information

Never use pressure to empty container.

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>* 14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant.

## SECTION 15: Regulatory information

### \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3. 75.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 10/12

## Mabanol Cut Lub 14 G HP

### Other regulations (EU):

This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.

Observe in addition any national regulations!

### 15.1.2. National regulations

#### [DE] National regulations

#### Störfallverordnung (12. BImSchV)

##### for substances contained in the product:

This product is not assigned to a hazard category.

#### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

##### Remark:

Weight fraction (Number 5.2.5. I): <5 %.

No flammable liquid according to BetrSichV.

#### Water hazard class

##### WGK:

1 - slightly hazardous to water

##### Remark:

Self-classification (mixture; calculation rule).

### 15.2. Chemical Safety Assessment

No information available.

### 15.3. Additional information

Water hazard class (WGK): 1 (slightly hazardous to water).

## SECTION 16: Other information

### \* 16.1. Indication of changes

1.3.	Details of the supplier of the safety data sheet
1.4.	Emergency telephone number
2.2.	Label elements
3.2.	Mixtures
4.2.	Most important symptoms and effects, both acute and delayed
4.3.	Indication of any immediate medical attention and special treatment needed
5.2.	Special hazards arising from the substance or mixture
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
10.3.	Possibility of hazardous reactions
10.6.	Hazardous decomposition products
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
13.1.	Waste treatment methods
14.3.	Transport hazard class(es)
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.5.	List of relevant hazard statements and/or precautionary statements from sections 2 to 15

### 16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28 Aug 2025

Print date: 28 Aug 2025

Version: 2



Page 11/12

## Mabanol Cut Lub 14 G HP

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed effect level  
LOAEC: Lowest observed adverse effect concentration  
LC<sub>50</sub>: Lethal concentration, 50 percent  
LD<sub>50</sub>: Lethal dose, 50 percent  
NIOSH: National Institute of Occupational Safety and Health  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)  
OSHA: Occupational Safety and Health Administration  
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)  
PBT: persistent bioaccumulative toxic  
PNEC: predicted no effect concentration  
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)  
SVHC: substance of very high concern  
TLV: Threshold Limit Values (Schwellwert Grenzwerte)  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard ( <i>Asp. Tox. 1</i> )	H304: May be fatal if swallowed and enters airways.	

### \* 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 28 Aug 2025

**Print date:** 28 Aug 2025

**Version:** 2



Page 12/12

## Mabanol Cut Lub 14 G HP

product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version.