

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 1/11



Mabanol Cut MS 52 BF

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Mabanol Cut MS 52 BF

* 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Metalworking fluids

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Koreastraße 7
20457 Hamburg
Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|---|--|--------------------------|
| Acute toxicity (oral) (<i>Acute Tox. 4</i>) | H302: Harmful if swallowed. | |
| Skin corrosion/irritation (<i>Skin Irrit. 2</i>) | H315: Causes skin irritation. | |
| Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>) | H319: Causes serious eye irritation. | |
| Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>) | H412: Harmful to aquatic life with long lasting effects. | |

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:

potassium hydroxide; 2-phenoxyethanol; 1H-1,2,3-benzotriazole

| hazard statements for health hazards | |
|--------------------------------------|--------------------------------|
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 2/11



Mabanol Cut MS 52 BF

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements Prevention

P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements Response

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

| product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|---|--|-------------------|
| CAS No.: 122-99-6 EC No.: 204-589-7 REACH No.: 01-2119488943-21 | 2-phenoxyethanol Acute Tox. 4, Eye Irrit. 2 Warning H302-H319 | 10 - < 15 Wt % |
| CAS No.: 95-14-7 EC No.: 202-394-1 REACH No.: 01-2119979079-20 | 1H-1,2,3-benzotriazole Acute Tox. 4, Aquatic Chronic 2, Eye Irrit. 2 H302-H319-H411 | 5 - < 10 Wt % |
| CAS No.: 1310-58-3 EC No.: 215-181-3 REACH No.: 01-2119487136-33 | potassium hydroxide Acute Tox. 4, Eye Dam. 1, Met. Corr. 1, Skin Corr. 1A H290-H302-H314-H318 | 1 - < 2 Wt % |

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice.

Following inhalation:

Remove victim out of the danger area. Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion:

Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 3/11



Mabanol Cut MS 52 BF

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. Foam. Extinguishing powder. Carbon dioxide (CO₂). Water spray jet. Water mist.

Unsuitable extinguishing media:

Strong water jet.

* 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire may be liberated: Carbon dioxide (CO₂). Carbon monoxide. Nitrogen oxides (NO_x). smoke and other products of incomplete combustion.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Special danger of slipping by leaking/spilling product.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8.

6.2. Environmental precautions

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

For cleaning up:

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 4/11



Mabanol Cut MS 52 BF

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Handle and open container with care. Always close containers tightly after the removal of product. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray.

Fire prevent measures:

Usual measures for fire prevention.

Environmental precautions:

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Use protective skin cream before handling the product. Wash contaminated clothing prior to re-use.

* 7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Only use containers specifically approved for the substance/product. Keep container tightly closed in a cool, well-ventilated place. Protect containers against damage. Floors should be impervious, resistant to liquids and easy to clean.

Hints on storage assembly:

Keep away from: Oxidizing agent.

Do not store together with: Food and feedingstuffs.

Storage class: 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Recommended storage temperature: 5 - 40 °C

Protect against: Heat. UV-radiation/sunlight. Frost.

storage stability: 12 month(s).

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

| Limit value type (country of origin) | Substance name | ① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark |
|--------------------------------------|---------------------------------------|--|
| TRGS 900 (DE) | 2-phenoxyethanol CAS No.: 122-99-6 | ① 1 ppm (5.7 mg/m ³) ② 1 ppm (5.7 mg/m ³) ⑤ (Aerosol und Dampf) |

8.1.2. Biological limit values

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 5/11



Mabanol Cut MS 52 BF

8.1.3. DNEL-/PNEC-values

| Substance name | DNEL value | ① DNEL type ② Exposure route |
|--|------------------------|--|
| 2-phenoxyethanol CAS No.: 122-99-6 | 8.07 mg/m ³ | ① DNEL worker ② inhalative, short-term, systemic, (acute) |
| 2-phenoxyethanol CAS No.: 122-99-6 | 34.72 mg/kg | ① DNEL worker ② dermal, long-term, systemic |
| 1H-1,2,3-benzotriazole CAS No.: 95-14-7 | 10 mg/m ³ | ① DNEL worker ② inhalative, long-term, systemic |
| 1H-1,2,3-benzotriazole CAS No.: 95-14-7 | 1.08 mg/kg bw/day | ① DNEL worker ② dermal, long-term, systemic |

| Substance name | PNEC Value | ① PNEC type |
|--|-------------------|-------------------------------|
| 2-phenoxyethanol CAS No.: 122-99-6 | 0.943 mg/l | ① PNEC aquatic, freshwater |
| 2-phenoxyethanol CAS No.: 122-99-6 | 0.0943 mg/l | ① PNEC aquatic, marine water |
| 2-phenoxyethanol CAS No.: 122-99-6 | 24.8 mg/l | ① PNEC sewage treatment plant |
| 2-phenoxyethanol CAS No.: 122-99-6 | 7.2366 mg/ kg | ① PNEC sediment, freshwater |
| 1H-1,2,3-benzotriazole CAS No.: 95-14-7 | 0.0194 mg/l | ① PNEC aquatic, freshwater |
| 1H-1,2,3-benzotriazole CAS No.: 95-14-7 | 0.0194 mg/l | ① PNEC aquatic, marine water |
| 1H-1,2,3-benzotriazole CAS No.: 95-14-7 | 39.4 mg/l | ① PNEC sewage treatment plant |
| 1H-1,2,3-benzotriazole CAS No.: 95-14-7 | 0.00375 mg/ kg | ① PNEC sediment, freshwater |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Use only in well-ventilated areas. If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection (DIN EN 166).

Skin protection:

Tested protective gloves must be worn (EN ISO 374). The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Do not wear gloves near rotary machines and tools.

Wearing time with permanent contact:

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). Thickness of the glove material: 0,70 mm. Breakthrough time (maximum wearing time): > 480 min.

Wearing time with occasional contact (splashes):

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). Thickness of the glove material: 0,40 mm. Breakthrough time (maximum wearing time):> 30 min.

Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Chemical resistant safety shoes.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 6/11



Mabanol Cut MS 52 BF

Respiratory protection:

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values. insufficient ventilation. aerosol or mist formation.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: yellow

Odour: Lemon

Safety relevant basis data

| parameter | | at °C | Method | Remark |
|--|-------------------------|-------|------------------|------------------|
| pH | <i>not determined</i> | | | |
| Melting point | <i>not determined</i> | | | |
| Freezing point | <i>not determined</i> | | | |
| Initial boiling point and boiling range | > 100 °C | | | 1013 hPa |
| Decomposition temperature | <i>not determined</i> | | | |
| Flash point | 100 °C | | DIN EN ISO 2592 | Contains: Water. |
| Evaporation rate | <i>not determined</i> | | | |
| Auto-ignition temperature | <i>not determined</i> | | | |
| Upper/lower flammability or explosive limits | <i>not determined</i> | | | |
| Vapour pressure | <i>not determined</i> | | | |
| Vapour density | <i>not determined</i> | | | |
| Density | 1.16 g/cm ³ | 15 °C | DIN EN ISO 12185 | |
| Bulk density | <i>not determined</i> | | | |
| Water solubility | miscible | 20 °C | | |
| Partition coefficient: n-octanol/water | <i>not determined</i> | | | |
| Dynamic viscosity | <i>not determined</i> | | | |
| Kinematic viscosity | ≈ 15 mm ² /s | 20 °C | DIN EN ISO 3104 | |

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong. Acid.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 7/11



Mabanol Cut MS 52 BF

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

* 11.1. Information on toxicological effects

Acute oral toxicity:

No data available. The statement is derived from the properties of the single components.
Harmful if swallowed.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Irritating to skin.

Serious eye damage/irritation:

Irritating to eyes.

Respiratory or skin sensitisation:

not sensitising.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.
For viscosity data, see section 9.

Additional information:

Processing vapours can irritate the respiratory tracts, skin and eyes.

SECTION 12: Ecological information

* 12.1. Toxicity

Aquatic toxicity:

Harmful to aquatic life.

Additional ecotoxicological information:

There are no data available on the mixture itself. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).
Do not allow uncontrolled discharge of product into the environment.

12.2. Persistence and degradability

Biodegradation:

Part of the components is biodegradable.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF):

No indication of bioaccumulation potential.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 8/11



Mabanol Cut MS 52 BF

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

| | |
|------------|--------------------------|
| 12 01 10 * | synthetic machining oils |
|------------|--------------------------|

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal. Recycle according to official regulations.

Appropriate disposal / Package:

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1. UN-No.

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not relevant

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: No information available.

Observe in addition any national regulations!

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 9/11



Mabanol Cut MS 52 BF

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung Luft (TA-Luft)

Remark:

weight fraction in % (Number 5.2.5 I): < 5

Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

Remark:

Self-classification (mixture; calculation rule).

15.2. Chemical Safety Assessment

No information available.

15.3. Additional information

Keine brennbare Flüssigkeit gemäß BetrSichV.

SECTION 16: Other information

16.1. Indication of changes

| | |
|-------|--|
| 1.2. | Relevant identified uses of the substance or mixture and uses advised against |
| 2.2. | Label elements |
| 3.2. | Mixtures |
| 5.2. | Special hazards arising from the substance or mixture |
| 7.2. | Conditions for safe storage, including any incompatibilities |
| 8.1. | Control parameters |
| 9.1. | Information on basic physical and chemical properties |
| 11.1. | Information on toxicological effects |
| 12.1. | Toxicity |
| 15.1. | Safety, health and environmental regulations/legislation specific for the substance or mixture |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 10/11



Mabanol Cut MS 52 BF

16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen
CAS Chemical Abstracts Service
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NIOSH: National Institute of Occupational Safety and Health
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect level
NTP: National Toxicology Program
N/A: not applicable
OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)
OSHA: Occupational Safety and Health Administration
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)
PBT: persistent bioaccumulative toxic
PNEC: predicted no effect concentration
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)
SVHC: substance of very high concern
TLV: Threshold Limit Values (Schwellwert Grenzwerte)
TRGS Technische Regeln für Gefahrstoffe
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)
VOC: Volatile Organic Compounds
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|---|--|--------------------------|
| Acute toxicity (oral) (<i>Acute Tox. 4</i>) | H302: Harmful if swallowed. | |
| Skin corrosion/irritation (<i>Skin Irrit. 2</i>) | H315: Causes skin irritation. | |
| Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>) | H319: Causes serious eye irritation. | |
| Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>) | H412: Harmful to aquatic life with long lasting effects. | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-Jan-2020

Print date: 29-Jan-2020

Version: 2

Page 11/11



Mabanol Cut MS 52 BF

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

| Hazard statements | |
|-------------------|--|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H411 | Toxic to aquatic life with long lasting effects. |

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version