

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 1/10

## Mabanol Erodierfluid EDM 2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### \* 1.1. Product identifier

Trade name/designation:

Mabanol Erodierfluid EDM 2

UFI:

UH6C-VKFP-U8J9-G626

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Metalworking fluids

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

**Mabanol GmbH & Co. KG**

Koreastraße 7

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

E-mail (competent person): giznord@giz-nord.de

#### 1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard ( <i>Asp. Tox. 1</i> )	H304: May be fatal if swallowed and enters airways.	
flammable liquids ( <i>Flam. Liq. 3</i> )	H226: Flammable liquid and vapour.	

#### \* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS02**  
Flame



**GHS08**  
Health hazard

Signal word: Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 2/10

## Mabanol Erodierfluid EDM 2

### Hazard components for labelling:

Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics

#### Hazard statements for physical hazards

H226	Flammable liquid and vapour.
------	------------------------------

#### Hazard statements for health hazards

H304	May be fatal if swallowed and enters airways.
------	---

#### Supplemental hazard information

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

#### Precautionary statements Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
------	--

P233	Keep container tightly closed.
------	--------------------------------

#### Precautionary statements Response

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
-------------	---

P331	Do NOT induce vomiting.
------	-------------------------

#### Precautionary statements Storage

P403 + P235	Store in a well-ventilated place. Keep cool.
-------------	--

P405	Store locked up.
------	------------------

### Additional information:

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### \* 3.2. Mixtures

#### Description:

Mixture of base oils and additives.

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
EC No.: 918-167-1 REACH No.: 01-2119472146-39	<b>Hydrocarbons, C11-C12, isoalkanes, &lt; 2 % aromatics</b> Asp. Tox. 1 (H304), Flam. Liq. 3 (H226) Danger	90 - < 100 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### \* 4.1. Description of first aid measures

#### General information:

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation:

Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 3/10

## Mabanol Erodierfluid EDM 2

### Following ingestion:

Do NOT induce vomiting. Call a physician immediately. Rinse mouth thoroughly with water. Where appropriate artificial ventilation. Observe risk of aspiration if vomiting occurs.

### Self-protection of the first aider:

No direct artificial respiration to be given by first aider. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

### \* 4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Cough. Dyspnoea. Respiratory complaints. Fever. Nausea. Vomiting. Pneumonia.

Symptoms can occur only after several hours.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Water spray jet. Water mist.

#### Unsuitable extinguishing media:

Full water jet.

### \* 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products:

In case of fire: Gases/vapours, toxic.

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Nitrogen oxides (NO<sub>x</sub>).

### \* 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

### \* 5.4. Additional information

Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Ventilate affected area. Vapours can form explosive mixtures with air. Keep away from sources of ignition - No smoking.

#### 6.1.2. For emergency responders

No data available

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up:

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 4/10

## Mabanol Erodierfluid EDM 2

in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Always close containers tightly after the removal of product. Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists. Keep away from sources of ignition - No smoking. Use only antistatically equipped (spark-free) tools.

##### Fire prevent measures:

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Take precautionary measures against static discharges. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Reignition possible over considerable distance.

##### Environmental precautions:

Do not allow to enter into surface water or drains.

##### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

### \* 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Take precautionary measures against static discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.

#### Packaging materials:

Only use containers specifically approved for the substance/product.

Suitable container/equipment material: Steel. Refined steel.

Unsuitable container/equipment material: NR (natural rubber, Natural latex). NBR (Nitrile rubber). Butyl caoutchouc (butyl rubber).

#### Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area. Keep container tightly closed in a cool, well-ventilated place. Protect containers against damage. Floors should be impervious, resistant to liquids and easy to clean.

#### Hints on storage assembly:

Keep away from: Oxidizing agent.

Do not store together with: Food and feedingstuffs.

#### Storage class (TRGS 510, Germany): 3 - Flammable liquids

#### Further information on storage conditions:

Protect against: Frost. Heat. UV-radiation/sunlight. Water. Humidity.

storage stability: max. 24 month(s).

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 5/10

## Mabanol Erodierfluid EDM 2

### \* 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

Eye glasses with side protection (EN 166).

##### Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Wearing time with permanent contact:

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). PVA (Polyvinyl alcohol).

Thickness of the glove material: 0,70 mm. Breakthrough time:: > 480 min.

Wearing time with occasional contact (splashes):

Suitable material: CR (polychloroprene, chloroprene rubber). NBR (Nitrile rubber). PVA (Polyvinyl alcohol).

Thickness of the glove material: 0,40 mm. Breakthrough time:: > 30 min.

Check leak tightness/impermeability prior to use. Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Respiratory protection:

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values. insufficient ventilation. aerosol or mist formation. Suitable respiratory protection apparatus: Combination filtering device.

#### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: Liquid

Colour: clear

Odour: not determined

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	No data available		
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 150 °C		② 1013 hPa
Flash point	> 56 °C		① EN ISO 2592
Evaporation rate	No data available		
Auto-ignition temperature	> 200 °C		
Upper/lower flammability or explosive limits	0.6 - 6.5 Vol-%		② not explosive according to EU A.14
Vapour pressure	No data available		
Vapour density	No data available		
Density	0.761 g/cm <sup>3</sup>	15 °C	① DIN EN ISO 12185
Bulk density	not applicable		
Water solubility	practically insoluble	20 °C	
Dynamic viscosity	No data available		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 6/10

## Mabanol Erodierfluid EDM 2

Parameter	Value	at °C	① Method ② Remark
Kinematic viscosity	≈ 1 mm <sup>2</sup> /s	40 °C	① EN ISO 3104

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

### 10.5. Incompatible materials

Oxidising agent, strong.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Hydrocarbons, C11-C12, isoalkanes, &lt; 2 % aromatics</b> EC No.: 918-167-1
<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat) OECD 401
<b>LD<sub>50</sub> dermal:</b> >5,000 mg/kg (Rabbit) OECD 402
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >5 mg/L (Rat) OECD 403

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 7/10

## Mabanol Erodierfluid EDM 2

For viscosity data, see section 9.

### Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

### \* 11.2. Information on other hazards

#### Endocrine disrupting properties:

No information available.

## SECTION 12: Ecological information

### \* 12.1. Toxicity

<b>Hydrocarbons, C11-C12, isoalkanes, &lt; 2 % aromatics</b>	EC No.: 918-167-1
--	-------------------

<b>LC<sub>50</sub>:</b> >1,000 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout))
--

<b>EC<sub>50</sub>:</b> >1,000 mg/L 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))
--

<b>EC<sub>50</sub>:</b> >1,000 mg/L 3 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i> )
--

#### Aquatic toxicity:

Harmless to aquatic organisms up to the tested concentration.

#### Additional ecotoxicological information:

There are no data available on the mixture itself. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Do not allow uncontrolled discharge of product into the environment.

### 12.2. Persistence and degradability

#### Biodegradation:

Moderately/partially biodegradable.

#### Additional information:

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

### 12.3. Bioaccumulative potential

#### Accumulation / Evaluation:

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

No information available.

### \* 12.5. Results of PBT and vPvB assessment

<b>Hydrocarbons, C11-C12, isoalkanes, &lt; 2 % aromatics</b>	EC No.: 918-167-1
--	-------------------

<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
---

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### \* 12.6. Endocrine disrupting properties

No information available.

### \* 12.7. Other adverse effects

Damage can be caused through mechanical influence of the product (eg. sticking).

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

12 01 07 *	mineral-based machining oils free of halogens (except emulsions and solutions)
------------	--

\*: Evidence for disposal must be provided.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 8/10

## Mabanol Erodierfluid EDM 2

### Waste treatment options




#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>		
UN 3295	UN 3295	UN 3295
<b>14.2. UN proper shipping name</b>		
HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.
<b>14.3. Transport hazard class(es)</b>		
 3	 3	 3
<b>14.4. Packing group</b>		
III	III	III
<b>14.5. Environmental hazards</b>		
No	No	No
<b>14.6. Special precautions for user</b>		
<b>Special Provisions:</b> LQ 5 I, E 1 <b>Hazard identification number (Kemler No.):</b> 30 <b>Classification code:</b> - <b>Tunnel restriction code:</b> (D/E)	<b>Special Provisions:</b> LQ 5 I, E 1 <b>EmS-No.:</b> F-E / , S-D	<b>Special Provisions:</b> E 1

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3.

##### Other regulations (EU):

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.

Observe in addition any national regulations!

##### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 100 weight-%

#### 15.1.2. National regulations

##### [DE] National regulations

##### Water hazard class

##### WGK:

1 - slightly hazardous to water

##### Remark:

Self-classification (mixture; calculation rule).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 9/10

## Mabanol Erodierfluid EDM 2

### Other regulations, restrictions and prohibition regulations

Betriebssicherheitsverordnung (BetrSichV): Flammable.

### 15.2. Chemical Safety Assessment

No information available.

### \* 15.3. Additional information

Water hazard class (WGK): 1 (slightly hazardous to water).

## SECTION 16: Other information

### \* 16.1. Indication of changes

1.1.	Product identifier
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
4.2.	Most important symptoms and effects, both acute and delayed
5.2.	Special hazards arising from the substance or mixture
5.3.	Advice for firefighters
5.4.	Additional information
7.2.	Conditions for safe storage, including any incompatibilities
8.2.	Exposure controls
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
12.7.	Other adverse effects
14.1.	UN number or ID number
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
15.3.	Additional information
16.1.	Indication of changes

### 16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC<sub>50</sub>: Lethal concentration, 50 percent

LD<sub>50</sub>: Lethal dose, 50 percent

NIOSH: National Institute of Occupational Safety and Health

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Dec 2023

Print date: 20 Dec 2023

Version: 2



Page 10/10

## Mabanol Erodierfluid EDM 2

OSHA: Occupational Safety and Health Administration  
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)  
PBT: persistent bioaccumulative toxic  
PNEC: predicted no effect concentration  
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)  
SVHC: substance of very high concern  
TLV: Threshold Limit Values (Schwellwert Grenzwerte)  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard ( <i>Asp. Tox. 1</i> )	H304: May be fatal if swallowed and enters airways.	
flammable liquids ( <i>Flam. Liq. 3</i> )	H226: Flammable liquid and vapour.	

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version.