according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 1/9



Mabanol Dieselpartikelfilterreiniger

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Mabanol Dieselpartikelfilterreiniger

Other means of identification:

Mabanol DPF-Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

 ${\bf Supplier\ (manufacturer/importer/only\ representative/downstream\ user/distributor):}$

Mabanol GmbH & Co. KG

Koreastraße 7 20457 Hamburg Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com **Website:** www.mabanol.com

1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories		Classification proc edure
Aspiration hazard (Asp. Tox. 1)	H304: May be fatal if swallowed and enters airways.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS08 Health hazard

Signal word: Danger

hazard statements for health hazards		
H304	May be fatal if swallowed and enters airways.	

Hazard statements for environmental hazards		
H412	Harmful to aquatic life with long lasting effects.	

Supplemental Hazard information (EU)		
EUH066	Repeated exposure may cause skin dryness or cracking.	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 2/9



Mabanol Dieselpartikelfilterreiniger

Precautionary statements Prevention	
P273	Avoid release to the environment.

Precautionary statements Response		
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/	
P331	Do NOT induce vomiting.	

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 64742-48-9 EC No.: 918-481-9 REACH No.: 01-2119457273-39	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates Asp. Tox. 1 H304-EUH066	50 - < 100 Wt %
EC No.: 907-745-9	Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol Aquatic Acute 1, Aquatic Chronic 1, Eye Dam. 1 H318-H400-H410	0.1 - < 1 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

Following inhalation:

Remove person to fresh air and keep comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. When in doubt or if symptoms are observed, get medical advice.

After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of skin irritation, consult a physician.

After inaestion:

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache. Nausea. Dizziness. Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water mist. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media:

Full water jet.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 3/9



Mabanol Dieselpartikelfilterreiniger

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire: Gases/vapours, toxic.

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide. aldehydes. carbon black.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protection equipment.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Observe instructions for use. Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. When using do not eat, drink, smoke, sniff. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

Keep away from sources of ignition - No smoking.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wear suitable protective clothing. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed. Store in a cool dry place.

Hints on storage assembly:

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Food and feedingstuffs.

7.3. Specific end use(s)

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 4/9



Mabanol Dieselpartikelfilterreiniger

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection (DIN EN 166).

Skin protection:

Tested protective gloves must be worn (EN ISO 374). Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time):480 min. Thickness of the glove material: 0,45 mm. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable protective clothing.

Respiratory protection:

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Respiratory protection necessary at: exceeding exposure limit values. Suitable respiratory protection apparatus: Combination filtering device (EN 14387). Filtering device with filter or ventilator filtering device of type: Observe the wear time limits as specified by the manufacturer.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: light brown

Odour: not determined

Safety relevant basis data

parameter		at °C	Method	Remark
рН	not determined			
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	160 °C			
Decomposition temperature	not determined			
Flash point	61 °C		ISO 3679	
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	0.5 - 7			
Vapour pressure	not determined			
Vapour density	not determined			
Density	0.79 g/cm ³	20 °C	DIN EN ISO 51757	
Bulk density	not determined			
Water solubility	not determined			
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	< 7 mm²/s	40 °C	DIN EN ISO 3104	

en / DE

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 5/9



Mabanol Dieselpartikelfilterreiniger

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.

10.5. Incompatible materials

Oxidizing agent. Pyrophoric or self-heating substances

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2). aldehydes. carbon black. Gases/vapours, toxic.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information	
64742-48-9	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	LD ₅₀ oral: >8,000 mg/kg (Rat) LD ₅₀ dermal: >3,160 mg/kg (Rabbit) LC ₅₀ Acute inhalation toxicity (vapour): 4,951 mg/l 4 h (Rat)	
	Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol	LD ₅₀ oral: 2,976 mg/kg (Rat) LD ₅₀ dermal: >2,000 mg/kg (Rat)	

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

No indications of human germ cell mutagenicity exist.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 6/9



Mabanol Dieselpartikelfilterreiniger

Carcinogenicity:

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

No indications of human reproductive toxicity exist.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard:

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information	
64742-48-9	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	LC ₅₀ : >1,000 mg/l 4 d (Oncorhynchus mykiss (Rainbow trout)) ErC ₅₀ : >1,000 mg/l 4 d (Scenedesmus subspica tus) EC ₅₀ : >1,000 mg/l 2 d (Daphnia magna (Big water flea))	
	Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol	LC ₅₀ : 0.3 mg/l 4 d (Oncorhynchus mykiss (Rainb ow trout)) ErC ₅₀ : 4.9 mg/l 3 d (Pseudokirchneriella subcapi tata) EC ₅₀ : 0.4 mg/l 2 d (Daphnia magna (Big water flea))	

12.2. Persistence and degradability

Additional information:

There are no data available on the preparation/mixture itself. AOX (mg/l): 0

12.3. Bioaccumulative potential

Bioconcentration factor (BCF):

No data available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	_
	Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol	_

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 7/9



Mabanol Dieselpartikelfilterreiniger

Waste treatment options

Appropriate disposal / Package:

Completely emptied packages can be recycled.

Cleaning agent: Water

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN-No.			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper ship	pping name		
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport haza	ard class(es)		
not relevant			
14.4. Packing group)		
not relevant			
14.5. Environmenta	l hazards		
not relevant			
14.6. Special precau	itions for user		
not relevant			

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

VOC 2004/42/EG: No information available.

Directive 2010/75/EU on industrial emissions (VOC): No information available.

15.1.2. National regulations

[DE] National regulations

Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

15.2. Chemical Safety Assessment

No data available

15.3. Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: Calculation method.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 8/9



Mabanol Dieselpartikelfilterreiniger

SECTION 16: Other information

16.1. Indication of changes

1.1. Product identifier

16.2. Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage

of Dangerous Goods by Road) CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories		Classification proc edure
Aspiration hazard (Asp. Tox. 1)	H304: May be fatal if swallowed and enters airways.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 28-Feb-2019 Print date: 28-Feb-2019

Version: 1.1 Page 9/9



Mabanol Dieselpartikelfilterreiniger

Supplemental Hazard information (EU) EUH066 Repeated exposure may cause skin dryness or cracking.

16.6. Training advice

No data available

16.7. Additional information The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new madeup material. * Data changed compared with the previous version