

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 1/13



Mabanol Einspritzanlagenreiniger Benzin

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Mabanol Einspritzanlagenreiniger Benzin

Other means of identification:

Mabanol Direct Injection Petrol Engine Cleaner

UFI:

0U9H-HS6W-WYCD-KSVJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Industrial uses

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Koreastraße 7

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
flammable liquids (<i>Flam. Liq. 2</i>)	H225: Highly flammable liquid and vapour.	
Aspiration hazard (<i>Asp. Tox. 1</i>)	H304: May be fatal if swallowed and enters airways.	
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	
STOT-single exposure (<i>STOT SE 3</i>)	H336: May cause drowsiness or dizziness.	
STOT-repeated exposure (<i>STOT RE 1</i>)	H372: Causes damage to organs through prolonged or repeated exposure. (...)	
Hazardous to the aquatic environment (<i>Aquatic Chronic 2</i>)	H411: Toxic to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS02
Flame



GHS07
Exclamation mark



GHS08
Health hazard



GHS09
Environment

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 2/13



Mabanol Einspritzanlagenreiniger Benzin

Hazard components for labelling:

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) ; propan-2-ol; ethyl acetate

Hazard statements for physical hazards

H225	Highly flammable liquid and vapour.
------	-------------------------------------

hazard statements for health hazards

H304	May be fatal if swallowed and enters airways.
------	---

H319	Causes serious eye irritation.
------	--------------------------------

H336	May cause drowsiness or dizziness.
------	------------------------------------

H372	Causes damage to organs through prolonged or repeated exposure. (...)
------	---

Hazard statements for environmental hazards

H411	Toxic to aquatic life with long lasting effects.
------	--

Supplemental hazard information

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

Precautionary statements Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
------	--

P243	Take action to prevent static discharges.
------	---

P260	Do not breathe vapours.
------	-------------------------

P271	Use only outdoors or in a well-ventilated area.
------	---

P273	Avoid release to the environment.
------	-----------------------------------

P280	Wear protective gloves/protective clothing and eye/face protection.
------	---

Precautionary statements Response

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
-------------	---

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
--------------------	--

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
--------------------	--

P312	Call a POISON CENTER/doctor/... if you feel unwell.
------	---

P331	Do NOT induce vomiting.
------	-------------------------

P337 + P313	If eye irritation persists: Get medical advice/attention.
-------------	---

Precautionary statements Storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
-------------	--

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

* 3.2. Mixtures

Additional information:

Labelling for contents according to regulation (EC) No. 648/2004: >= 30% aliphatic hydrocarbons

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 3/13



Mabanol Einspritzanlagenreiniger Benzin

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-82-1 EC No.: 919-446-0 REACH No.: 01-2119458049-33	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Aquatic Chronic 2 (H411), Asp. Tox. 1 (H304), Flam. Liq. 3 (H226), STOT RE 1 (H372), STOT SE 3 (H336) Danger	50 - ≤ 100 weight-%
CAS No.: 67-63-0 EC No.: 200-661-7 REACH No.: 01-2119457558-25	propan-2-ol Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) Danger	25 - ≤ 50 weight-%
CAS No.: 141-78-6 EC No.: 205-500-4	ethyl acetate Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) Danger EUH066	3 - ≤ 5 weight-%
CAS No.: 68608-26-4 EC No.: 271-781-5 REACH No.: 01-2119527859-22	Sulfonic acids, petroleum, sodium salts Eye Irrit. 2 (H319) Warning	3 - ≤ 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

* 4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

In case of skin contact:

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing. And wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion:

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

Headache. Nausea. Dizziness. Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide (CO₂). Foam. Extinguishing powder.

Unsuitable extinguishing media:

Full water jet.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 4/13



Mabanol Einspritzanlagenreiniger Benzin

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

* 6.3. Methods and material for containment and cleaning up

For cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

* 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Do not breathe gas/fumes/vapour/spray. Avoid contact with eyes.

Fire prevent measures:

Keep away from sources of ignition - No smoking. Vapours can form explosive mixtures with air.

Advices on general occupational hygiene

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on storage assembly:

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

Storage class (TRGS 510, Germany): 3 - Flammable liquids

7.3. Specific end use(s)

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 5/13



Mabanol Einspritzanlagenreiniger Benzin

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) CAS No.: 64742-82-1 EC No.: 919-446-0	① 50 mg/m ³ ② 100 mg/m ³ ⑤ (C9-C14 Aromaten)
TRGS 900 (DE)	propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	① 200 ppm (500 mg/m ³) ② 400 ppm (1,000 mg/m ³)
IOELV (EU)	ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	① 200 ppm (734 mg/m ³) ② 400 ppm (1,468 mg/m ³)
TRGS 900 (DE)	ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	① 200 ppm (730 mg/m ³) ② 400 ppm (1,460 mg/m ³)

8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① parameter ② Test material ③ Time of sampling ④ Remark
TRGS 903 (DE)	propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton ② Blut ③ Expositionsende bzw. Schichtende
TRGS 903 (DE)	propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton ② Urin ③ Expositionsende bzw. Schichtende

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

8.2.2. Personal protection equipment

Eye/face protection:

Suitable eye protection: goggles.

Skin protection:

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wear suitable protective clothing.

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 6/13



Mabanol Einspritzanlagenreiniger Benzin

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: light brown

Odour: not determined

Safety relevant basis data

parameter		at °C	Method	Remark
pH	<i>not determined</i>			
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	82 °C			
Decomposition temperature	<i>not determined</i>			
Flash point	12 °C		ISO 3679	
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	0.6 - 12 Vol-%			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	0.795 g/cm ³	20 °C	DIN 51757	
Relative density	<i>not determined</i>			
Bulk density	<i>not determined</i>			
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable. Ignition hazard.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Flammable. Vapours can form explosive mixtures with air.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

10.5. Incompatible materials

No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 7/13



Mabanol Einspritzanlagenreiniger Benzin

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) CAS No.: 64742-82-1 EC No.: 919-446-0	LD₅₀ oral: >15,000 mg/kg (Rat) LD₅₀ dermal: 3,400 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (vapour): 13,100 mg/l 4 h (Rat)
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	LD₅₀ oral: 5,338 mg/kg (Rat) LD₅₀ dermal: 12,870 mg/kg (Rabbit)
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	LD₅₀ oral: 5,620 mg/kg (Rat) LD₅₀ dermal: >20,000 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (vapour): 1,600 mg/l 4 h (Rat)
Sulfonic acids, petroleum, sodium salts CAS No.: 68608-26-4 EC No.: 271-781-5	LD₅₀ oral: >5,000 mg/kg (Rat) LD₅₀ dermal: >5,000 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (vapour): >5 mg/l 4 h (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

STOT-single exposure:

May cause drowsiness or dizziness. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)); (propan-2-ol); (Ethyl acetate).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 8/13



Mabanol Einspritzanlagenreiniger Benzin

STOT-repeated exposure:

Causes damage to organs through prolonged or repeated exposure. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)).

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard:

May be fatal if swallowed and enters airways.

Additional information:

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

* 11.2. Information on other hazards

Endocrine disrupting properties:

No information available.

Other information:

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

SECTION 12: Ecological information

* 12.1. Toxicity

Substance name	Toxicological information
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) CAS No.: 64742-82-1 EC No.: 919-446-0	LC₅₀ : 10 - 30 mg/l 4 d (fish, <i>Leuciscus idus</i> (golden orfe)) ErC₅₀ : 4.6 - 10 mg/l 3 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i>) EC₅₀ : 10 - 22 mg/l 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	LC₅₀ : 9,640 mg/l 4 d (fish, <i>Pimephales promelas</i> (fathead minnow)) ErC₅₀ : >1,000 mg/l 3 d (Algae/water plant, <i>Desmodesmus subspicatus</i>) EC₅₀ : 13,299 mg/l 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	LC₅₀ : 230 mg/l 4 d (fish, <i>Pimephales promelas</i> (fathead minnow)) EC₅₀ : 165 mg/l 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))
Sulfonic acids, petroleum, sodium salts CAS No.: 68608-26-4 EC No.: 271-781-5	LC₅₀ : >10,000 mg/l 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout)) ErC₅₀ : >1,000 mg/l 3 d (Algae/water plant, <i>Selenastrum capricornutum</i>) EC₅₀ : >1,000 mg/l 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

* 12.2. Persistence and degradability

Substance name	Biodegradation	Remark
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	Yes, rapidly	

Additional information:

The product has not been tested.

* 12.3. Bioaccumulative potential

Substance name	Log K _{OW}	Bioconcentration factor (BCF)
propan-2-ol CAS No.: 67-63-0	0.05	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 9/13



Mabanol Einspritzanlagenreiniger Benzin

Substance name	Log K _{ow}	Bioconcentration factor (BCF)
EC No.: 200-661-7		
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	-0.24	

Accumulation / Evaluation:

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

* 12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) CAS No.: 64742-82-1 EC No.: 919-446-0	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Sulfonic acids, petroleum, sodium salts CAS No.: 68608-26-4 EC No.: 271-781-5	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The product has not been tested.

* 12.6. Endocrine disrupting properties

No information available.

* 12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

* 13.1. Waste treatment methods

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

07 07 04 *	other organic solvents, washing liquids and mother liquors
------------	--

*: Evidence for disposal must be provided.

Waste code packaging:

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

This material and its container must be disposed of as hazardous waste.
Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021









Version: 2

Page 10/13



Mabanol Einspritzanlagenreiniger Benzin

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name			
FLAMMABLE LIQUID, N.O.S. (propan-2-ol, Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol, Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol, Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol, Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
14.3. Transport hazard class(es)			
 3	 3	 3	 3
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
		 MARINE POLLUTANT	
14.6. Special precautions for user			
Special provisions: 274, 601, 640C Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 33 Classification code: F1 tunnel restriction code: (D/E) Remark: Warning: Combustible liquid.	Special provisions: 274, 601, 640C Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Classification code: F1 Remark: Warning: Combustible liquid.	Special provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 EmS-No.: F-E; S-E Remark: Warning: Combustible liquid.	Special provisions: A3 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Remark: Warning: Combustible liquid. Passenger-LQ: Y431

14.7. Maritime transport in bulk according to IMO instruments

not applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 11/13



Mabanol Einspritzanlagenreiniger Benzin

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

- P5a Flammable Liquids, Category 1 or 2
- P5b Flammable liquids
- P5c Flammable liquids of Categories 2 or 3, not covered by P5a and P5b
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

VOC 2004/42/EG: No information available.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] (VOC): No information available.

Observe in addition any national regulations!

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

To follow: §22 JArbSchG. §5 MuSchRiV. §4 MuSchRiV.

Störfallverordnung

for substances possibly developing during an incident:

Hazard categories:

- P5a Flammable Liquids, Category 1 or 2
- P5b Flammable liquids
- P5c Flammable liquids of Categories 2 or 3, not covered by P5a and P5b
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

Water hazard class

WGK:

2 - deutlich wassergefährdend

Remark:

Self-classification (mixture; calculation rule).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

* 16.1. Indication of changes

1.1.	Product identifier
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
6.3.	Methods and material for containment and cleaning up
6.4.	Reference to other sections
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
12.7.	Other adverse effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 12/13



Mabanol Einspritzanlagenreiniger Benzin

13.1.	Waste treatment methods
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes

16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen
CAS Chemical Abstracts Service
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NIOSH: National Institute of Occupational Safety and Health
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect level
NTP: National Toxicology Program
N/A: not applicable
OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)
OSHA: Occupational Safety and Health Administration
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)
PBT: persistent bioaccumulative toxic
PNEC: predicted no effect concentration
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)
SVHC: substance of very high concern
TLV: Threshold Limit Values (Schwellwert Grenzwerte)
TRGS Technische Regeln für Gefahrstoffe
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)
VOC: Volatile Organic Compounds
vPvB: very persistent and very bioaccumulative
VvVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse

16.3. Key literature references and sources for data

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Oct 2021

Print date: 27 Oct 2021

Version: 2

Page 13/13



Mabanol Einspritzanlagenreiniger Benzin

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
flammable liquids (<i>Flam. Liq. 2</i>)	H225: Highly flammable liquid and vapour.	
Aspiration hazard (<i>Asp. Tox. 1</i>)	H304: May be fatal if swallowed and enters airways.	
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	
STOT-single exposure (<i>STOT SE 3</i>)	H336: May cause drowsiness or dizziness.	
STOT-repeated exposure (<i>STOT RE 1</i>)	H372: Causes damage to organs through prolonged or repeated exposure. (...)	
Hazardous to the aquatic environment (<i>Aquatic Chronic 2</i>)	H411: Toxic to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure. (...)
H411	Toxic to aquatic life with long lasting effects.

Supplemental hazard information	
EUH066	Repeated exposure may cause skin dryness or cracking.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version