Mabanol Gear CLP 320

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier
Trade name/designation:

Mabanol Gear CLP 320

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture:
Industrial gear oil

*
1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG
Am Strandkai 1
20457 Hamburg
Germany
Telephone: 0049 (0) 40 36809988
E-mail: info@mabanol.com
Website: www.mabanol.com

E-mail (competent person): giznord@giz-nord.de

*
1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment *(Aquatic Chronic 3)*	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling:
Polysulfides, di-tert-dodecyl; methanol

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information	
EUH208	Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

Precautionary statements Prevention	
P273	Avoid release to the environment.

Precautionary statements Disposal	
P501	Dispose of contents/container to Dispose of waste according to applicable legislation..

Additional information:
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

2.3. Other hazards
No data available

SECTION 3: Composition/information on ingredients

* **3.2. Mixtures**

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68425-15-0 EC No.: 270-335-7 REACH No.: 01-2119540516-41	**Polysulfides, di-tert-dodecyl** Skin Sens. 1B (H317) Warning **Acute Toxicity Estimate** ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, dust/mist) > 15.5 mg/L	0.5 – < 1 weight-%
CAS No.: 128-37-0 EC No.: 204-881-4 REACH No.: 01-2119565113-46	**2,6-di-tert-butyl-p-cresol** Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410) Warning **Acute Toxicity Estimate** ATE (oral) > 6,000 mg/kg ATE (dermal) > 2,000 mg/kg	0.2 – < 0.3 weight-%
CAS No.: 67-56-1 EC No.: 200-659-6 Index No.: 603-001-00-X REACH No.: 01-2119433307-44	**methanol** Acute Tox. 3 (H331, H311, H301), Flam. Liq. 2 (H225), STOT SE 1 (H370**) Danger **Specific concentration limit (SCL)** STOT SE 1; H370: C ≥ 10% STOT SE 2; H371: 3% ≤ C < 10% **Acute Toxicity Estimate** ATE (oral) > 1,187 – ≤ 2,769 mg/kg ATE (dermal) 300 mg/kg ATE (inhalation, vapour) 128.2 mg/L ATE (inhalation, dust/mist) 0.5 mg/L	< 0.1 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

* **4.1. Description of first aid measures**

General information:
In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Following inhalation:
Remove casualty to fresh air and keep warm and at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

In case of skin contact:
After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. In case of skin irritation, consult a physician.

After eye contact:
Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

Following ingestion:
Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed
Observe risk of aspiration if vomiting occurs.

4.3. Indication of any immediate medical attention and special treatment needed
Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder.
In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media:

Full water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Hazardous combustion products:

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2). Sulphur dioxide (SO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Ventilate affected area. Special danger of slipping by leaking/spilling product.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Avoid: Generation/formation of mist. Do not breathe gas/fumes/vapour/spray.

Fire prevent measures:

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.
Fire class: B (Fires of liquids or liquid turning substances).

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on storage assembly:

Do not store together with: Gas. Explosives. P8 OXIDISING LIQUIDS AND SOLIDS. Radioactive substances. Infectious substances.

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Temperature control required. Keep container tightly closed.
Protect against: Light. UV-radiation/sunlight. Air.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

*

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 7 Jun 2018	**Polysulfides, di-tert-dodecyl** CAS No.: 68425-15-0 EC No.: 270-335-7	① 5 mg/m³ ② 20 mg/m³ ⑤ (alveolengängige Fraktion) DFG, Y
TRGS 900 (DE) from 1 Jul 2012	**2,6-di-tert-butyl-p-cresol** CAS No.: 128-37-0 EC No.: 204-881-4	① 10 mg/m³ ② 40 mg/m³ ⑤ (Aerosol und Dampf, einatembare Fraktion) DFG, Y, 11
IOELV (EU)	**methanol** CAS No.: 67-56-1 EC No.: 200-659-6	① 200 ppm (260 mg/m³) ⑤ (may be absorbed through the skin)
TRGS 900 (DE) from 13 Mar 2020	**methanol** CAS No.: 67-56-1 EC No.: 200-659-6	① 100 ppm (130 mg/m³) ② 200 ppm (260 mg/m³) ⑤ (kann über die Haut aufgenommen werden) DFG, EU, H, Y

8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
TRGS 903 (DE) from 13 Mar 2020	**methanol** CAS No.: 67-56-1 EC No.: 200-659-6	15 mg/L	① Methanol ② Urin ③ bei Langzeitexposition, Expositionsende bzw. Schichtende

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	1.76 mg/m³	① DNEL worker ② Long-term – inhalation, systemic effects
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.435 mg/m³	① DNEL Consumer ② Long-term – inhalation, systemic effects
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.25 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.25 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	26 mg/m³	① DNEL Consumer ② Long-term – inhalation, systemic effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	130 mg/m³	① DNEL worker ② Acute - inhalation, systemic effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	26 mg/m³	① DNEL Consumer ② Acute - inhalation, systemic effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	130 mg/m³	① DNEL worker ② Long-term – inhalation, local effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	26 mg/m³	① DNEL Consumer ② Long-term – inhalation, local effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	130 mg/m³	① DNEL worker ② Acute - inhalation, local effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	26 mg/m³	① DNEL Consumer ② Acute - inhalation, local effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	20 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	4 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	20 mg/kg bw/day	① DNEL worker ② Acute – dermal, systemic effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	4 mg/kg bw/day	① DNEL Consumer ② Acute – dermal, systemic effects
methanol CAS No.: 67-56-1 EC No.: 200-659-6	4 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects

Mabanol Gear CLP 320

Substance name	DNEL value	① DNEL type ② Exposure route
methanol CAS No.: 67-56-1 EC No.: 200-659-6	4 mg/kg bw/day	① DNEL Consumer ② Acute – oral, systemic effects

Substance name	PNEC Value	① PNEC type
Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7	1,000 mg/L	① PNEC sewage treatment plant
Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7	3.85 mg/kg	① PNEC sediment, freshwater
Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7	0.385 mg/kg	① PNEC sediment, marine water
Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7	66.7 mg/kg	① PNEC secondary poisoning
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.000199 mg/L	① PNEC aquatic, freshwater
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.00002 mg/L	① PNEC aquatic, marine water
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.017 mg/L	① PNEC sewage treatment plant
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.458 mg/kg	① PNEC sediment, freshwater
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.046 mg/kg	① PNEC sediment, marine water
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.054 mg/kg	① PNEC soil
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	8.33 mg/kg	① PNEC secondary poisoning
methanol CAS No.: 67-56-1 EC No.: 200-659-6	20.8 mg/L	① PNEC aquatic, freshwater
methanol CAS No.: 67-56-1 EC No.: 200-659-6	2.08 mg/L	① PNEC aquatic, marine water
methanol CAS No.: 67-56-1 EC No.: 200-659-6	100 mg/L	① PNEC sewage treatment plant
methanol CAS No.: 67-56-1 EC No.: 200-659-6	77 mg/kg	① PNEC sediment, freshwater
methanol CAS No.: 67-56-1 EC No.: 200-659-6	7.7 mg/kg	① PNEC sediment, marine water
methanol CAS No.: 67-56-1 EC No.: 200-659-6	100 mg/kg	① PNEC soil

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate ventilation.

8.2.2. Personal protection equipment

Eye/face protection:

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166.

Skin protection:

Tested protective gloves must be worn (EN ISO 374).
Suitable material: NBR (Nitrile rubber). FKM (fluoro rubber). CR (polychloroprene, chloroprene rubber).
Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
Suitable protective clothing: flame-resistant.

Respiratory protection:

Usually no personal respirative protection necessary.
Respiratory protection necessary at: exceeding exposure limit values. aerosol or mist formation. Suitable respiratory protection apparatus: Filtering device (full mask or mouthpiece) with filter: A2, A2/P2, ABEK.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

8.2.3. Environmental exposure controls

No information available.

*

8.3. Additional information

air limit values:
Possibility of exposure to Aerosol (Mineral oil)
Limit value (TLV-TWA) = 5 mg/m³ (Source: ACGIH)
Limit value (TLV-STEL) = 10 mg/m³ (Source: ACGIH)

SECTION 9: Physical and chemical properties

*

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid
Colour: clear
Odour: not determined
flammability: No data available

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	*No data available*		
Melting point	*No data available*		
Freezing point	*No data available*		
Initial boiling point and boiling range	*No data available*		
Flash point	290 °C		① EN ISO 2592
Evaporation rate	*No data available*		
Auto-ignition temperature	*No data available*		
Upper/lower flammability or explosive limits	*No data available*		
Vapour pressure	*No data available*		
Vapour density	*No data available*		

Parameter	Value	at °C	① Method ② Remark
Density	0.8927 g/cm³	15 °C	① DIN 51757
Bulk density	*not applicable*		
Water solubility	*No data available*		
Dynamic viscosity	*No data available*		
Kinematic viscosity	325.7 mm²/s	40 °C	① EN ISO 3104
Pour point	-18 °C		① ASTM D 5985

9.2. Other information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity
No information available.

10.2. Chemical stability
The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions
No known hazardous reactions.

10.4. Conditions to avoid
No information available.

10.5. Incompatible materials
Oxidising agent, strong.

10.6. Hazardous decomposition products
No known hazardous decomposition products.

SECTION 11: Toxicological information

*
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information

Acute Toxicity Estimate for Mixtures
ATE (inhalation, vapour): 20 mg/L
ATE (inhalation, dust/mist): 5 mg/L
Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7
LD_{50} oral: >2,000 mg/kg (Rat)
LD_{50} dermal: >2,000 mg/kg (Rabbit)
LC_{50} Acute inhalation toxicity (dust/mist): >15.5 mg/L 4 h (Rat)
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4
LD_{50} oral: >6,000 mg/kg (Rat) OECD 401
LD_{50} dermal: >2,000 mg/kg (Rabbit) OECD 402
methanol CAS No.: 67-56-1 EC No.: 200-659-6
ATE (inhalation, dust/mist): 0.5 mg/L
LD_{50} oral: >1,187 – ≤2,769 mg/kg (Rat)
LC_{50} Acute inhalation toxicity (vapour): 128.2 mg/L 4 h (Rat)

Acute oral toxicity:
Based on available data, the classification criteria are not met.

Acute dermal toxicity:
Based on available data, the classification criteria are not met.

Acute inhalation toxicity:
Based on available data, the classification criteria are not met.

Skin corrosion/irritation:
Based on available data, the classification criteria are not met.

Serious eye damage/irritation:
Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:
Based on available data, the classification criteria are not met.
Contains Polysulfide, Di-tert.-dodecyl-. May produce an allergic reaction.
May cause sensitisation especially in sensitive humans.

Germ cell mutagenicity:
Based on available data, the classification criteria are not met.

Carcinogenicity:
Based on available data, the classification criteria are not met.

Reproductive toxicity:
Based on available data, the classification criteria are not met.

STOT-single exposure:
Based on available data, the classification criteria are not met.

STOT-repeated exposure:
Based on available data, the classification criteria are not met.

Aspiration hazard:
Based on available data, the classification criteria are not met.

Additional information:
Frequently or prolonged contact with skin may cause dermal irritation.

11.2. Information on other hazards

Endocrine disrupting properties:
This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

*

12.1. Toxicity

Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7	
LC_{50}: >100 mg/L 4 d (fish, Danio rerio (zebrafish))	
ErC_{50}: >100 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201	
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	
LC_{50}: 0.199 mg/L 4 d (fish, Oryzias latipes (Ricefish)) OECD 203	
EC_{50}: 0.48 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))	
NOEC: 0.023 mg/L 21 d (crustaceans, Daphnia magna (Big water flea))	
ErC_{50}: 0.758 mg/L 4 d (Algae/water plant)	
methanol CAS No.: 67-56-1 EC No.: 200-659-6	
LC_{50}: 15,400 mg/L 4 d (fish, Lepomis macrochirus (Bluegill))	
ErC_{50}: 22,000 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201	
EC_{50}: 18,260 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))	
NOEC: 446.7 mg/L 28 d (fish, Pimephales promelas (fathead minnow))	
NOEC: 208 mg/L 21 d (crustaceans, Daphnia magna (Big water flea))	

Aquatic toxicity:
Harmful to aquatic life with long lasting effects.

*

12.2. Persistence and degradability

Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7	
Biodegradation: —	
Remark: Not readily biodegradable (according to OECD criteria)	

2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	
Biodegradation: —	
Remark: Not readily biodegradable (according to OECD criteria)	
methanol CAS No.: 67-56-1 EC No.: 200-659-6	
Biodegradation: —	
Remark: Readily biodegradable (according to OECD criteria).	

Additional information:
The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

* **12.3. Bioaccumulative potential**

Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7	
Log K_{OW}: > 6.2	
Bioconcentration factor (BCF): < 0.01 Species: Cyprinus carpio (Common Carp)	
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	
Log K_{OW}: 5.1	
Bioconcentration factor (BCF): 465 Species: fish	
methanol CAS No.: 67-56-1 EC No.: 200-659-6	
Log K_{OW}: -0.77	
Bioconcentration factor (BCF): < 10 Species: Leuciscus idus (golden orfe)	

Accumulation / Evaluation:
No indication of bioaccumulation potential.

12.4. Mobility in soil
No information available.

* **12.5. Results of PBT and vPvB assessment**

Polysulfides, di-tert-dodecyl CAS No.: 68425-15-0 EC No.: 270-335-7	
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
methanol CAS No.: 67-56-1 EC No.: 200-659-6	
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The above statement applies to the substances contained in the product from 0.1%.

* **12.6. Endocrine disrupting properties**
This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.
The above statement applies to the substances contained in the product from 0.1%.

12.7. Other adverse effects
No information available.

SECTION 13: Disposal considerations

* **13.1. Waste treatment methods**
Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV
Waste code packaging

15 01 10 *	packaging containing residues of or contaminated by dangerous substances

**: Evidence for disposal must be provided.*

Mabanol Gear CLP 320

Waste treatment options

Appropriate disposal / Product:
Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:
Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
* **14.1. UN number or ID number**			
No dangerous good in sense of these transport regulations.	UN 9006	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
* **14.2. UN proper shipping name**			
No dangerous good in sense of these transport regulations.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
* **14.3. Transport hazard class(es)**			
not relevant	9	not relevant	not relevant
* **14.4. Packing group**			
not relevant		not relevant	not relevant
* **14.5. Environmental hazards**			
not relevant	No	not relevant	not relevant
* **14.6. Special precautions for user**			
not relevant	**Classification code:** M9	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

not relevant.

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Restrictions on use:
Use restriction according to REACH annex XVII, no.: 3. 75.

Other regulations (EU):
This product is not assigned to a hazard category.

Named dangerous substances:
• Methanol
Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.
Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: No information available.
Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: Not subject to the SEVESO III directive.
Observe in addition any national regulations!

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation
To follow: §22 JArbSchG.

Störfallverordnung (12. BImschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Named dangerous substances:
• Methanol

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Klasse 1:

5.2.5: organic substances, to be indicated as total carbon at m >= 0.50 kg/h: conc. 50 mg/m³.

Anteil 1:

99 %

Water hazard class

WGK:

1 - slightly hazardous to water

Remark:

Self-classification (mixture; calculation rule).

15.2. Chemical Safety Assessment

not applicable.

15.3. Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant.
Water hazard class (WGK): 1 (slightly hazardous to water).

SECTION 16: Other information

*

16.1. Indication of changes

1.3.	Details of the supplier of the safety data sheet
1.4.	Emergency telephone number
3.2.	Mixtures
4.1.	Description of first aid measures
8.1.	Control parameters
8.3.	Additional information
9.1.	Information on basic physical and chemical properties
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
13.1.	Waste treatment methods
14.1.	UN number or ID number
14.2.	UN proper shipping name
14.3.	Transport hazard class(es)
14.4.	Packing group
14.5.	Environmental hazards
14.6.	Special precautions for user
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.5.	List of relevant hazard statements and/or precautionary statements from sections 2 to 15

16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

CAS Chemical Abstracts Service
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC_{50}: Lethal concentration, 50 percent
LD_{50}: Lethal dose, 50 percent
NIOSH: National Institute of Occupational Safety and Health
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect level
NTP: National Toxicology Program
N/A: not applicable
OEL: Occupational Exposure imit (Arbeitsplatzgrenzwert)
OSHA: Occupational Safety and Health Administration
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)
PBT: persistent bioaccumulative toxic
PNEC: predicted no effect concentration
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)
SVHC: substance of very high concern
TLV: Threshold Limit Values (Schwellwert Grenzwerte)
TRGS Technische Regeln für Gefahrstoffe
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)
VOC: Volatile Organic Compounds
vPvB: very persistent and very bioaccumulative
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment *(Aquatic Chronic 3)*	H412: Harmful to aquatic life with long lasting effects.	

*

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H370	Causes damage to organs.

Hazard statements	
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6. Training advice
No data available

16.7. Additional information
Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:
health hazards: Calculation method.
Environmental hazards: Calculation method.
Physical hazards: On basis of test data.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version.