

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 1/17

## Mabanol Helium Hyd HVLP 15

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### \* 1.1. Product identifier

Trade name/designation:

Mabanol Helium Hyd HVLP 15

UFI:

UCGH-560C-8GMK-HXFC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Hydraulic fluids

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

**Mabanol GmbH & Co. KG**

Koreastraße 7

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

E-mail (competent person): giznord@giz-nord.de

#### 1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard ( <i>Asp. Tox. 1</i> )	H304: May be fatal if swallowed and enters airways.	

#### \* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS08**

Health hazard

Signal word: Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 2/17

## Mabanol Helium Hyd HVLP 15

### Hazard components for labelling:

methyl methacrylate; toluene; phenol; 2-ethylhexan-1-ol

#### Hazard statements for health hazards

H304	May be fatal if swallowed and enters airways.
------	---

#### Precautionary statements Response

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331	Do NOT induce vomiting.

#### Precautionary statements Storage

P405	Store locked up.
------	------------------

#### Precautionary statements Disposal

P501	Dispose of contents/container to Dispose of waste according to applicable legislation..
------	---

### Additional information:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### \* 3.2. Mixtures

#### Additional information:

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-56-9 EC No.: 265-159-2 REACH No.: 01-2119480132-48	<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> Asp. Tox. 1 (H304) Danger	50 - < 55 weight-%
CAS No.: 64742-55-8 EC No.: 265-158-7 REACH No.: 01-2119487077-29	<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> Asp. Tox. 1 (H304) Danger	45 - < 50 weight-%
CAS No.: 128-39-2 EC No.: 204-884-0 REACH No.: 01-2119490822-33	<b>2,6-di-tert-butylphenol</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Skin Irrit. 2 (H315) Warning	0.2 - < 0.3 weight-%
CAS No.: 104-76-7 EC No.: 203-234-3 REACH No.: 01-2119487289-20	<b>2-ethylhexan-1-ol</b> Acute Tox. 4 (H332), Eye Irrit. 2 (H319), STOT SE 3 (H335), Skin Irrit. 2 (H315) Warning	< 0.1 weight-%
CAS No.: 80-62-6 EC No.: 201-297-1 Index No.: 607-035-00-6 REACH No.: 01-2119452498-28	<b>methyl methacrylate</b> Flam. Liq. 2 (H225), STOT SE 3 (H335), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) Danger	< 0.1 weight-%
CAS No.: 108-88-3 EC No.: 203-625-9 Index No.: 601-021-00-3	<b>toluene</b> Asp. Tox. 1 (H304), Flam. Liq. 2 (H225), Repr. 2 (H361d***), STOT RE 2 (H373**), STOT SE 3 (H336), Skin Irrit. 2 (H315) Danger	< 0.1 weight-%

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 3/17

## Mabanol Helium Hyd HVLP 15

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 108-95-2 EC No.: 203-632-7 Index No.: 604-001-00-2	<b>phenol</b> Acute Tox. 3 (H331, H311, H301), Muta. 2 (H341), STOT RE 2 (H373**), Skin Corr. 1B (H314)  Danger <b>Specific concentration limit (SCL)</b> Skin Corr. 1B; H314: C ≥ 3% Skin Irrit. 2; H315: 1% ≤ C < 3% Eye Dam. 1; H318: C ≥ 3% Eye Irrit. 2; H319: 1% ≤ C < 3%	< 0.1 weight-%

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### Following inhalation:

Remove casualty to fresh air and keep warm and at rest. When in doubt or if symptoms are observed, get medical advice.

##### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

##### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

##### Following ingestion:

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Observe risk of aspiration if vomiting occurs.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

Foam. Sand.

In case of major fire and large quantities: Water mist.

##### Unsuitable extinguishing media:

Full water jet.

#### \* 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

##### Hazardous combustion products:

In case of fire: Gases/vapours, toxic.

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>). Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Sulphur dioxide (SO<sub>2</sub>).

#### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 4/17

## Mabanol Helium Hyd HVLP 15

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment. Ventilate affected area. Special danger of slipping by leaking/spilling product.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation. Solvents/Thinner

### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Avoid: generation/formation of aerosols. Generation/formation of mist. Do not breathe gas/fumes/vapour/spray. Wear personal protection equipment (refer to section 8).

##### Fire prevent measures:

Usual measures for fire prevention.

Fire class: B (Fires of liquids or liquid turning substances).

##### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Only use containers specifically approved for the substance/product. Keep container tightly closed in a cool, well-ventilated place.

#### Hints on storage assembly:

Do not store together with: Gas. Explosives. P8 OXIDISING LIQUIDS AND SOLIDS. Radioactive substances. Infectious substances.

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

Temperature control required. Keep container tightly closed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 5/17

## Mabanol Helium Hyd HVLP 15

Protect against: Light. UV-radiation/sunlight. Air.

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### \* 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 20 Apr 2023	<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	① 1 ppm (5.4 mg/m <sup>3</sup> ) ⑤ (Aerosol und Dampf) EU, Y, 11
IOELV (EU) from 21 Feb 2017	<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	① 1 ppm (5.4 mg/m <sup>3</sup> )
IOELV (EU)	<b>methyl methacrylate</b> CAS No.: 80-62-6 EC No.: 201-297-1	① 50 ppm ② 100 ppm
TRGS 900 (DE)	<b>methyl methacrylate</b> CAS No.: 80-62-6 EC No.: 201-297-1	① 50 ppm (210 mg/m <sup>3</sup> ) ② 100 ppm (420 mg/m <sup>3</sup> ) ⑤ DFG, EU, Y
TRGS 900 (DE) from 2 Jul 2021	<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9	① 50 ppm (190 mg/m <sup>3</sup> ) ② 100 ppm (380 mg/m <sup>3</sup> ) ⑤ (kann über die Haut aufgenommen werden) DFG, EU, H, Y
IOELV (EU)	<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9	① 50 ppm (192 mg/m <sup>3</sup> ) ② 100 ppm (384 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)
TRGS 900 (DE) from 1 May 2010	<b>phenol</b> CAS No.: 108-95-2 EC No.: 203-632-7	① 2 ppm (8 mg/m <sup>3</sup> ) ② 4 ppm (16 mg/m <sup>3</sup> ) ⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden) EU, H, 11
IOELV (EU) from 17 Dec 2009	<b>phenol</b> CAS No.: 108-95-2 EC No.: 203-632-7	① 2 ppm (8 mg/m <sup>3</sup> ) ② 4 ppm (16 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)

#### 8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
TRGS 903 (DE) from 1 Nov 2012	<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9	1.5 mg/L	① o-Kresol ② Urin ③ bei Langzeitexposition, Expositionsende bzw. Schichtende
TRGS 903 (DE) from 13 Jan 2021	<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9	0.6 mg/L	① Toluol ② Blut ③ unmittelbar nach Exposition

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 6/17

## Mabanol Helium Hyd HVLP 15

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
TRGS 903 (DE) from 28 Mar 2019	<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9	75 µg/L	① Toluol ② Urin ③ Expositionsende bzw. Schichtende
TRGS 903 (DE) from 19 Sept 2013	<b>phenol</b> CAS No.: 108-95-2 EC No.: 203-632-7	120 mg/g Creatinin	① Phenol ② Urin ③ Expositionsende bzw. Schichtende
BLV (EU) from 1 Jun 2014	<b>phenol</b> CAS No.: 108-95-2 EC No.: 203-632-7	120 mg/g creatinine	① phenol ② urine ③ no restriction

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2	2.73 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2	5.58 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2	1.19 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, local effects
<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2	0.97 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2	0.74 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7	2.73 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7	5.58 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7	1.19 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, local effects
<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7	0.97 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 7/17

## Mabanol Helium Hyd HVLP 15

Substance name	DNEL value	① DNEL type ② Exposure route
<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7	0.74 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	70.61 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	20.9 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	11.25 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	6.75 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	6.75 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	12.8 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	2.3 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	53.2 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	26.6 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, local effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	53.2 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, local effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	26.6 mg/m <sup>3</sup>	① DNEL Consumer ② Acute - inhalation, local effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	23 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	11.4 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	1.1 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
Substance name	PNEC Value	① PNEC type
<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2	9.33 mg/kg	① PNEC secondary poisoning
<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7	9.33 mg/kg	① PNEC secondary poisoning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 8/17

## Mabanol Helium Hyd HVLP 15

Substance name	PNEC Value	① PNEC type
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	0.001 mg/L	① PNEC aquatic, freshwater
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	0.0001 mg/L	① PNEC aquatic, marine water
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	10 mg/kg	① PNEC sewage treatment plant
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	0.317 mg/kg	① PNEC sediment, freshwater
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	0.0317 mg/kg	① PNEC sediment, marine water
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	0.679 mg/kg	① PNEC soil
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0	60 mg/kg	① PNEC secondary poisoning
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	0.017 mg/L	① PNEC aquatic, freshwater
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	0.002 mg/L	① PNEC aquatic, marine water
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	10 mg/L	① PNEC sewage treatment plant
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	0.284 mg/kg	① PNEC sediment, freshwater
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	0.028 mg/kg	① PNEC sediment, marine water
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	0.047 mg/kg	① PNEC soil
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3	55 mg/kg	① PNEC secondary poisoning

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

Provide adequate ventilation.

### 8.2.2. Personal protection equipment



#### Eye/face protection:

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166.

#### Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). FKM (fluoro rubber).

Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 9/17

## Mabanol Helium Hyd HVLP 15

the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable protective clothing: flame-resistant.

### Respiratory protection:

Usually no personal respiratory protection necessary.

Respiratory protection necessary at: exceeding exposure limit values. aerosol or mist formation. Suitable respiratory protection apparatus: Filtering device (full mask or mouthpiece) with filter: A2, A2/P2, ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### 8.2.3. Environmental exposure controls

No information available.

### 8.3. Additional information

air limit values:

Possibility of exposure to Aerosols (Mineral oil)

Limit value (TLV-TWA) = 5 mg/m<sup>3</sup> (Source: ACGIH)

Limit value (TLV-STEL) = 10 mg/m<sup>3</sup> (Source: ACGIH)

## SECTION 9: Physical and chemical properties

### \* 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: Liquid

Colour: clear

Odour: not determined

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	No data available		
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	No data available		
Flash point	171 °C		① COC
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	0.8785 g/cm <sup>3</sup>	15 °C	① DIN 51757
Bulk density	not applicable		
Water solubility	Immiscible		
Dynamic viscosity	No data available		
Kinematic viscosity	14.96 mm <sup>2</sup> /s	40 °C	① EN ISO 3104
Pour point	-45 °C		① ASTM D 5985

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### \* 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 10/17

## Mabanol Helium Hyd HVLP 15

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicological information

Acute Toxicity Estimate for Mixtures	
ATE (oral):	>2,000 mg/kg
ATE (dermal):	>2,000 mg/kg
ATE (inhalation, vapour):	>20 mg/L
ATE (inhalation, dust/mist):	>5 mg/L
Distillates (petroleum), solvent-dewaxed light paraffinic CAS No.: 64742-56-9 EC No.: 265-159-2	
LD <sub>50</sub> oral:	>5,000 mg/kg (Rat)
LD <sub>50</sub> dermal:	>5,000 mg/kg (Rabbit)
LC <sub>50</sub> Acute inhalation toxicity (vapour):	>5.53 mg/L 4 h (Rat)
Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic CAS No.: 64742-55-8 EC No.: 265-158-7	
LD <sub>50</sub> oral:	>5,000 mg/kg (Rat) OECD 401
LD <sub>50</sub> dermal:	>2,000 mg/kg (Rabbit) OECD 402
LC <sub>50</sub> Acute inhalation toxicity (vapour):	>5.53 mg/L 4 h (Rat) OECD 403
2,6-di-tert-butylphenol CAS No.: 128-39-2 EC No.: 204-884-0	
LD <sub>50</sub> oral:	>5,000 mg/kg (Rat) OECD 401
LD <sub>50</sub> dermal:	>2,000 mg/kg (Rat)
2-ethylhexan-1-ol CAS No.: 104-76-7 EC No.: 203-234-3	
LD <sub>50</sub> oral:	2,047 mg/kg (Rat)
LC <sub>50</sub> Acute inhalation toxicity (vapour):	0.89 mg/L 4 h (Rat)
LC <sub>50</sub> Acute inhalation toxicity (dust/mist):	>0.89 - 5.3 mg/L 4 h (Rat)
methyl methacrylate CAS No.: 80-62-6 EC No.: 201-297-1	
LD <sub>50</sub> oral:	8,400 mg/kg (Rat)
LD <sub>50</sub> dermal:	>5,000 mg/kg (Rabbit)
LC <sub>50</sub> Acute inhalation toxicity (dust/mist):	29.8 mg/L (Rat)
toluene CAS No.: 108-88-3 EC No.: 203-625-9	
LD <sub>50</sub> oral:	5,580 mg/kg (Rat)
LD <sub>50</sub> dermal:	>5,000 mg/kg (Rabbit)
LC <sub>50</sub> Acute inhalation toxicity (vapour):	>20 mg/L 4 h (Rat)
phenol CAS No.: 108-95-2 EC No.: 203-632-7	
ATE (inhalation, vapour):	3 mg/L
LD <sub>50</sub> oral:	282 mg/kg (Mouse)
LD <sub>50</sub> dermal:	660 mg/kg (Rat)
LC <sub>50</sub> Acute inhalation toxicity (dust/mist):	>0.9 mg/L 4 h (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 11/17

## Mabanol Helium Hyd HVLP 15

### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.  
May cause sensitisation especially in sensitive humans.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

May be fatal if swallowed and enters airways.

### Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

## \* 11.2. Information on other hazards

### Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## SECTION 12: Ecological information

### \* 12.1. Toxicity

<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2
<b>LC<sub>50</sub>:</b> >100 mg/L 4 d (fish, Pimephales promelas (fathead minnow))
<b>EC<sub>50</sub>:</b> >10,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))
<b>NOEC:</b> 10 mg/L 21 d (crustaceans, Daphnia magna (Big water flea))
<b>ErC<sub>50</sub>:</b> >100 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata)
<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7
<b>LC<sub>50</sub>:</b> >100 mg/L 4 d (fish, Pimephales promelas (fathead minnow)) OECD 203
<b>EC<sub>50</sub>:</b> >10,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202
<b>NOEC:</b> >100 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata)
<b>NOEC:</b> >10 mg/L 21 d (crustaceans, Daphnia magna (Big water flea)) OECD 211
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0
<b>LC<sub>50</sub>:</b> 1.4 mg/L 4 d (fish, Pimephales promelas (fathead minnow))
<b>EC<sub>50</sub>:</b> 0.45 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))
<b>NOEC:</b> 0.023 mg/L 21 d (crustaceans, Daphnia magna (Big water flea))
<b>ErC<sub>50</sub>:</b> 1.4 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata)
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3
<b>LC<sub>50</sub>:</b> 17.1 mg/L 4 d (fish, Leuciscus idus (golden orfe))
<b>EC<sub>50</sub>:</b> 39 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))
<b>ErC<sub>50</sub>:</b> 11.5 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 12/17

## Mabanol Helium Hyd HVLP 15

<b>methyl methacrylate</b> CAS No.: 80-62-6 EC No.: 201-297-1
<b>LC<sub>50</sub></b> : 410 mg/L 4 d (fish, Pimephales promelas (fathead minnow))
<b>ErC<sub>50</sub></b> : >110 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
<b>EC<sub>50</sub></b> : 720 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))
<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9
<b>LC<sub>50</sub></b> : 5.5 mg/L 4 d (fish, Oncorhynchus mykiss (Rainbow trout))
<b>EC<sub>50</sub></b> : 3.78 mg/L 2 d (crustaceans, Ceriodaphnia spec)
<b>phenol</b> CAS No.: 108-95-2 EC No.: 203-632-7
<b>LC<sub>50</sub></b> : 21.93 mg/L 4 d (fish, Poecilia reticulata (Guppy))
<b>ErC<sub>50</sub></b> : 61.1 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata)
<b>EC<sub>50</sub></b> : 3.1 mg/L 2 d (crustaceans, Ceriodaphnia spec)

### \* 12.2. Persistence and degradability

<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2
<b>Biodegradation:</b> —
<b>Remark:</b> Not readily biodegradable (according to OECD criteria)
<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7
<b>Biodegradation:</b> —
<b>Remark:</b> Not readily biodegradable (according to OECD criteria)
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0
<b>Biodegradation:</b> —
<b>Remark:</b> Not readily biodegradable (according to OECD criteria)
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3
<b>Biodegradation:</b> —
<b>Remark:</b> Readily biodegradable (according to OECD criteria).
<b>methyl methacrylate</b> CAS No.: 80-62-6 EC No.: 201-297-1
<b>Biodegradation:</b> —
<b>Remark:</b> Readily biodegradable (according to OECD criteria).
<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9
<b>Biodegradation:</b> —
<b>Remark:</b> Readily biodegradable (according to OECD criteria).
<b>phenol</b> CAS No.: 108-95-2 EC No.: 203-632-7
<b>Biodegradation:</b> —
<b>Remark:</b> Readily biodegradable (according to OECD criteria).

#### Additional information:

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

### \* 12.3. Bioaccumulative potential

<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7
<b>Log K<sub>ow</sub></b> : > 3.5
<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0
<b>Log K<sub>ow</sub></b> : 4.5
<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3
<b>Log K<sub>ow</sub></b> : 2.9
<b>methyl methacrylate</b> CAS No.: 80-62-6 EC No.: 201-297-1
<b>Log K<sub>ow</sub></b> : 1.32
<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9
<b>Log K<sub>ow</sub></b> : 2.73

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 13/17

## Mabanol Helium Hyd HVLP 15

<b>phenol</b> CAS No.: 108-95-2 EC No.: 203-632-7
---

<b>Log K<sub>ow</sub></b> : 1.47
----------------------------------

<b>Bioconcentration factor (BCF)</b> : 17.5 Species: Danio rerio (zebrafish)
--

### Accumulation / Evaluation:

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

No information available.

### \* 12.5. Results of PBT and vPvB assessment

<b>Distillates (petroleum), solvent-dewaxed light paraffinic</b> CAS No.: 64742-56-9 EC No.: 265-159-2
--

<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
---

<b>Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic</b> CAS No.: 64742-55-8 EC No.: 265-158-7
---

<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
---

<b>2,6-di-tert-butylphenol</b> CAS No.: 128-39-2 EC No.: 204-884-0
--

<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
---

<b>2-ethylhexan-1-ol</b> CAS No.: 104-76-7 EC No.: 203-234-3
--

<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
---

<b>methyl methacrylate</b> CAS No.: 80-62-6 EC No.: 201-297-1
---

<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
---

<b>toluene</b> CAS No.: 108-88-3 EC No.: 203-625-9
--

<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
---

<b>phenol</b> CAS No.: 108-95-2 EC No.: 203-632-7
---

<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
---

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The above statement applies to the substances contained in the product from 0.1%.

### \* 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The above statement applies to the substances contained in the product from 0.1%.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code packaging

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

\*: Evidence for disposal must be provided.

#### Waste treatment options

##### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

##### Appropriate disposal / Package:

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 14/17

## Mabanol Helium Hyd HVLP 15

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant.

### SECTION 15: Regulatory information

#### \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

###### Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3. 75.

###### Other regulations (EU):

This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: No information available.

Observe in addition any national regulations!

##### 15.1.2. National regulations

###### [DE] National regulations

###### Restrictions of occupation

To follow: §22 JArbSchG.

###### Störfallverordnung (12. BImSchV)

###### for substances contained in the product:

This product is not assigned to a hazard category.

###### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

###### Klasse 1:

5.2.5: organic substances, to be indicated as total carbon at  $m \geq 0.50$  kg/h: conc. 50 mg/m<sup>3</sup>.

###### Anteil 1:

99 %

###### Water hazard class

###### WGK:

1 - slightly hazardous to water

###### Remark:

Self-classification (mixture; calculation rule).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 15/17

## Mabanol Helium Hyd HVLP 15

### 15.2. Chemical Safety Assessment

not applicable.

### \* 15.3. Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant.

Water hazard class (WGK): 1 (slightly hazardous to water).

## SECTION 16: Other information

### \* 16.1. Indication of changes

1.1.	Product identifier
2.2.	Label elements
3.2.	Mixtures
5.2.	Special hazards arising from the substance or mixture
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
10.2.	Chemical stability
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
15.3.	Additional information
16.1.	Indication of changes
16.5.	List of relevant hazard statements and/or precautionary statements from sections 2 to 15

### 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ASTM	American Society for Testing and Materials
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC <sub>50</sub>	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Standards Organisation
KG	body weight
LC <sub>50</sub>	Lethal (fatal) Concentration 50%
LD <sub>50</sub>	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 16/17

## Mabanol Helium Hyd HVLP 15

OEL Threshold Limit Value  
OSHA Occupational Safety & Health Administration  
PBT persistent and bioaccumulative and toxic  
PNEC Predicted No Effect Concentration  
REACH Registration, Evaluation and Authorization of Chemicals  
RID Dangerous goods regulations for transport by rail  
SCL Specific concentration limit  
TRGS Technische Regeln für Gefahrstoffe  
UN United Nations  
ZNS central nervous system  
ACGIH: American Conference of Governmental Industrial Hygienists  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)  
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen  
CAS Chemical Abstracts Service  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC<sub>50</sub>: Lethal concentration, 50 percent  
LD<sub>50</sub>: Lethal dose, 50 percent  
NIOSH: National Institute of Occupational Safety and Health  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)  
OSHA: Occupational Safety and Health Administration  
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)  
PBT: persistent bioaccumulative toxic  
PNEC: predicted no effect concentration  
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)  
SVHC: substance of very high concern  
TLV: Threshold Limit Values (Schwellwert Grenzwerte)  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)  
VOC: Volatile Organic Compounds  
vPvB: very persistent and very bioaccumulative  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

### 16.3. Key literature references and sources for data

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Feb 2024

Print date: 15 Feb 2024

Version: 5



Page 17/17

## Mabanol Helium Hyd HVLP 15

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard ( <i>Asp. Tox. 1</i> )	H304: May be fatal if swallowed and enters airways.	

### \* 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version.