

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 1/16



Mabanol Radon Gear ATF III MV

SECTION 1: Identification of the substance/mixture and of the company/undertaking

* 1.1. Product identifier

Trade name/designation:

Mabanol Radon Gear ATF III MV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Gear oil

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Koreastraße 7

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling:

diphenylamine; 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino)diethanol; 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol; Distillates (petroleum), hydrotreated light paraffinic

Hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

Supplemental hazard information

EUH208	Contains Amines, dicoco alkyl, reaction prods with hydroxyacetic acid. [EC-No.: 471-920-1], 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs. [EC-No.: 482-000-4], Benzene, polypropene derivatives, sulfonated, calcium salts, C14-18 alpha-olefin epoxide, reaction products with boric acid. May produce an allergic reaction.
--------	---

Precautionary statements Prevention

P273	Avoid release to the environment.
------	-----------------------------------

Precautionary statements Disposal

P501	Dispose of contents/container to Dispose of waste according to applicable legislation..
------	---

Additional information:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 2/16



Mabanol Radon Gear ATF III MV

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Additional information:

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-55-8 EC No.: 265-158-7 REACH No.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1 H304	45 - < 50 weight-%
	mineral oil Asp. Tox. 1 H304 Additional information: The mineral oil contained can be described by one or more of the following numbers: 64742-54-7, 64742-65-0, 64742-55-8, 64742-56-9, 265-157-1, 265-169-7, 265-158-7, 265-159-2, 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48.	1 - < 5 weight-%
CAS No.: 398141-87-2 EC No.: 800-172-4 REACH No.: 01-2119969520-35	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich Aquatic Chronic 2 H411	1 - < 5 weight-%
EC No.: 471-920-1 REACH No.: 01-0000019770-68	Reaction products of amines, dicoco alkyl and glycollic acid Skin Sens. 1B H317	< 1 weight-%
EC No.: 482-000-4 REACH No.: 01-0000020142-86	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv. Aquatic Chronic 3, Skin Sens. 1B H317-H412	< 1 weight-%
CAS No.: 67124-09-8 EC No.: 266-582-5 REACH No.: 01-2119953277-30	1-(tert-dodecylthio)propan-2-ol Aquatic Acute 1, Aquatic Chronic 1, Skin Sens. 1B H317-H400-H410	< 1 weight-%
CAS No.: 122-39-4 EC No.: 204-539-4 REACH No.: 01-2119488966-13	diphenylamine Acute Tox. 3, Aquatic Acute 1, Aquatic Chronic 1, Eye Irrit. 2, STOT RE 2 H301-H311-H319-H331-H373-H400-H410	< 1 weight-%
CAS No.: 75975-85-8	Benzene, polypropene derivatives, sulfonated, calcium salts Skin Sens. 1B H317	< 1 weight-%
EC No.: 939-580-3 REACH No.: 01-2119976364-28	C14-18 alpha-olefin epoxide, reaction products with boric acid Skin Sens. 1B H317	< 1 weight-%

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 3/16



Mabanol Radon Gear ATF III MV

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1218787-32-6 EC No.: 620-540-6 REACH No.: 01-2119510877-33	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino)diethanol Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Eye Dam. 1, Skin Corr. 1C H302-H314-H318-H400-H410 M-factor (acute): 10 M-factor (chronic): 1	< 0.1 weight-%
CAS No.: 95-38-5 EC No.: 202-414-9 REACH No.: 01-2119777867-13	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Eye Dam. 1, STOT RE 2, Skin Corr. 1C H302-H314-H318-H373-H400-H410	< 0.1 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

* 4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Following inhalation:

Remove casualty to fresh air and keep warm and at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

Following ingestion:

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Observe risk of aspiration if vomiting occurs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Foam. Extinguishing powder. Carbon dioxide (CO₂). Sand.
In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media:

Full water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Hazardous combustion products:

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO₂). Sulphur dioxide (SO₂). Nitrogen oxides (NO_x).

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 4/16



Mabanol Radon Gear ATF III MV

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Ventilate affected area. Special danger of slipping by leaking/spilling product.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

* 7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Avoid: generation/formation of aerosols. Generation/formation of mist.

Fire prevent measures:

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class: B (Fires of liquids or liquid turning substances).

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

* 7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Only use containers specifically approved for the substance/product. Keep container tightly closed in a cool, well-ventilated place.

Hints on storage assembly:

Do not store together with: Gas. Explosives. P8 OXIDISING LIQUIDS AND SOLIDS. Radioactive substances. Infectious substances.

Storage class: 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Temperature control required. Keep container tightly closed.

Protect against: Air. Light. UV-radiation/sunlight.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 5/16



Mabanol Radon Gear ATF III MV

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	diphenylamine CAS No.: 122-39-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (kann über die Haut aufgenommen werden)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	3.1 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	0.8 mg/m ³	① DNEL Consumer ② Long-term - inhalation, systemic effects
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	44 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	22 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	0.4 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
Reaction products of amines, dicoco alkyl and glycolic acid	0.417 mg/cm ²	① DNEL worker ② Acute - dermal, local effects
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	11.8 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	3.34 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	0.215 mg/cm ²	① DNEL worker ② Long-term - dermal, local effects
C14-18 alpha-olefin epoxide, reaction products with boric acid	5.88 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
C14-18 alpha-olefin epoxide, reaction products with boric acid	16.7 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol CAS No.: 95-38-5	0.46 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol CAS No.: 95-38-5	14 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3



Page 6/16

Mabanol Radon Gear ATF III MV

Substance name	DNEL value	① DNEL type ② Exposure route
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol CAS No.: 95-38-5	0.06 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
Distillates (petroleum), hydrotreated light paraffinic CAS No.: 64742-55-8	9.33 mg/kg	① PNEC secondary poisoning
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	0.002 mg/l	① PNEC aquatic, freshwater
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	0.0002 mg/l	① PNEC aquatic, marine water
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	0.435 mg/kg	① PNEC sediment, freshwater
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	0.435 mg/kg	① PNEC sediment, marine water
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich CAS No.: 398141-87-2	6.66 mg/kg	① PNEC secondary poisoning
Reaction products of amines, dicoco alkyl and glycollic acid	0.4 mg/l	① PNEC aquatic, freshwater
Reaction products of amines, dicoco alkyl and glycollic acid	0.04 mg/l	① PNEC aquatic, marine water
Reaction products of amines, dicoco alkyl and glycollic acid	17,100 mg/kg	① PNEC sediment, freshwater
Reaction products of amines, dicoco alkyl and glycollic acid	1,701 mg/kg	① PNEC sediment, marine water
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	0.006 mg/l	① PNEC aquatic, freshwater
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	0.001 mg/l	① PNEC aquatic, marine water
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	8.28 mg/kg	① PNEC sediment, freshwater
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	0.828 mg/kg	① PNEC sediment, marine water
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	100 ml/l	① PNEC secondary poisoning
1-(tert-dodecylthio)propan-2-ol CAS No.: 67124-09-8	0.006 mg/l	① PNEC aquatic, intermittent release
C14-18 alpha-olefin epoxide, reaction products with boric acid	0.2 mg/l	① PNEC aquatic, freshwater
C14-18 alpha-olefin epoxide, reaction products with boric acid	0.02 mg/l	① PNEC aquatic, marine water
C14-18 alpha-olefin epoxide, reaction products with boric acid	8,556 mg/kg	① PNEC sediment, freshwater
C14-18 alpha-olefin epoxide, reaction products with boric acid	100 mg/l	① PNEC secondary poisoning
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol CAS No.: 95-38-5	0 mg/l	① PNEC aquatic, freshwater
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol CAS No.: 95-38-5	0 mg/l	① PNEC aquatic, marine water
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol CAS No.: 95-38-5	0.27 mg/l	① PNEC sewage treatment plant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 7/16



Mabanol Radon Gear ATF III MV

Substance name	PNEC Value	① PNEC type
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol CAS No.: 95-38-5	0.376 mg/kg	① PNEC sediment, freshwater
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol CAS No.: 95-38-5	0.038 mg/kg	① PNEC sediment, marine water

* 8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate ventilation.

8.2.2. Personal protection equipment



Eye/face protection:

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166.

Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Suitable material: NBR (Nitrile rubber). FKM (fluoro rubber). CR (polychloroprene, chloroprene rubber). Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable protective clothing: flame-resistant.

Respiratory protection:

Usually no personal respiratory protection necessary.

Respiratory protection necessary at: exceeding exposure limit values. aerosol or mist formation. Suitable respiratory protection apparatus: Filtering device (full mask or mouthpiece) with filter: A2, A2/P2, ABEK. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

8.2.3. Environmental exposure controls

No data available

* 8.3. Additional information

air limit values:

Possibility of exposure to Aerosols

Limit value (TLV-TWA) = 5 mg/m³ (Source: ACGIH)

Limit value (TLV-STEL) = 10 mg/m³ (Source: ACGIH)

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: red

Odour: not determined

Safety relevant basis data

parameter		at °C	Method	Remark
pH	<i>not determined</i>			
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature	<i>not determined</i>			
Flash point	210 °C		COC	
Evaporation rate	<i>not determined</i>			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 8/16



Mabanol Radon Gear ATF III MV

parameter		at °C	Method	Remark
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	0.851 g/cm ³	15 °C	DIN 51757	
Bulk density	<i>not determined</i>			
Water solubility	<i>not determined</i>			
Partition coefficient: n-octanol/ water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	36 mm ² /s	40 °C	DIN EN ISO 3104	
Pour point	-54 °C			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

* 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	LD₅₀ dermal: >5,000 mg/kg (Rabbit) OECD 402 LD₅₀ oral: >5,000 mg/kg (Rat) OECD 401 LC₅₀ Acute inhalation toxicity (vapour): >5.53 mg/l 4 h (Rat) OECD 403
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich	LD₅₀ oral: >5,000 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
	Reaction products of amines, dicoco alkyl and glycollic acid	LD₅₀ oral: >2,000 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 9/16



Mabanolo Radon Gear ATF III MV

CAS No.	Substance name	Toxicological information
	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv.	LD₅₀ oral: >2,500 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
67124-09-8	1-(tert-dodecylthio)propan-2-ol	LD₅₀ oral: >5,000 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
122-39-4	diphenylamine	LD₅₀ oral: >1,120 mg/kg (Rat)
	C14-18 alpha-olefin epoxide, reaction products with boric acid	LD₅₀ oral: >16,000 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
121878 7-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino)diethanol	LD₅₀ oral: 1,200 mg/kg (Rat) OECD 425
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	LD₅₀ oral: 1,265 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 10/16



Mabanol Radon Gear ATF III MV

SECTION 12: Ecological information

* 12.1. Toxicity

CAS No.	Substance name	Toxicological information
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	LC₅₀ : >100 mg/l 4 d (fish, Pimephales promelas (fathead minnow)) OECD 203 EC₅₀ : >10,000 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202 EC₅₀ : >100 mg/l 3 d (Algae/water plant, Pseudo kirchneriella subcapitata) NOEC : >10 mg/l 21 d (crustaceans, Daphnia magna (Big water flea)) OECD 211
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich	LC₅₀ : 2.4 mg/l 4 d (fish, Oncorhynchus mykiss (R rainbow trout)) ErC₅₀ : 3.5 mg/l 3 d (Algae/water plant, Desmodesmus subspicatus) EC₅₀ : 4.6 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))
	Reaction products of amines, dicoco alkyl and glycollic acid	LC₅₀ : 1.2 mg/l 4 d (fish, Oncorhynchus mykiss (R rainbow trout)) ErC₅₀ : >0.112 mg/l 3 d (Algae/water plant, Desmodesmus subspicatus) EC₅₀ : 0.21 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) NOEC : 56 mg/l (crustaceans, Daphnia magna (Big water flea))
	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv.	LC₅₀ : >100 mg/l 4 d (fish, Oncorhynchus mykiss (Rainbow trout)) ErC₅₀ : 16 mg/l 3 d (Algae/water plant, Desmodesmus subspicatus) EC₅₀ : 230 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))
67124-09-8	1-(tert-dodecylthio)propan-2-ol	LC₅₀ : 0.75 mg/l 4 d (fish, Oncorhynchus mykiss (Rainbow trout)) OECD 203 EC₅₀ : 0.58 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202 ErC₅₀ : 100 mg/l 4 d (Algae/water plant, Scenedesmus subspicatus) NOEC : 0.32 mg/l 21 d (crustaceans, Daphnia magna (Big water flea))
122-39-4	diphenylamine	EC₅₀ : 2 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))
	C14-18 alpha-olefin epoxide, reaction products with boric acid	LC₅₀ : 100 mg/l 4 d (fish, Oncorhynchus mykiss (Rainbow trout)) ErC₅₀ : >100 mg/l 3 d (Algae/water plant, Pseudo kirchneriella subcapitata) EC₅₀ : >100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) NOEC : 10 mg/l 21 d (crustaceans, Daphnia magna (Big water flea))
121878 7-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino)diethanol	LC₅₀ : 0.6 mg/l 4 d (fish, Danio rerio (zebrafish)) ErC₅₀ : 0.0867 mg/l 3 d (Algae/water plant, Pseudokirchneriella subcapitata) NOEC : 0.32 mg/l 21 d (crustaceans, Daphnia magna (Big water flea))

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 11/16



Mabanol Radon Gear ATF III MV

CAS No.	Substance name	Toxicological information
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	ErC₅₀ : 0.03 mg/l 3 d (Algae/water plant, Desmod esmus subspicatus) EC₅₀ : 0.163 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))

12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	Remark
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	—	Not readily biodegradable (according to OECD criteria).
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich	—	Not readily biodegradable (according to OECD criteria)
	Reaction products of amines, dicoco alkyl and glycolic acid	—	Readily biodegradable (according to OECD criteria).
	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv.	—	Not readily biodegradable (according to OECD criteria)
67124-09-8	1-(tert-dodecylthio)propan-2-ol	—	Not readily biodegradable (according to OECD criteria)
122-39-4	diphenylamine	—	Not readily biodegradable (according to OECD criteria)
	C14-18 alpha-olefin epoxide, reaction products with boric acid	—	Not readily biodegradable (according to OECD criteria)
121878 7-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino)diethanol	—	Not readily biodegradable (according to OECD criteria)
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	—	Not readily biodegradable (according to OECD criteria)

Additional information:

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OW}	Bioconcentration factor (BCF)
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	3.5	
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich	4.11	1.4
67124-09-8	1-(tert-dodecylthio)propan-2-ol	5.7	
122-39-4	diphenylamine	3.8	
	C14-18 alpha-olefin epoxide, reaction products with boric acid	9.4	
121878 7-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino)diethanol	3.6	110.2
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	8.4	1.65

Accumulation / Evaluation:

No indication of bioaccumulation potential.

12.4. Mobility in soil

No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 12/16



Mabanol Radon Gear ATF III MV

* 12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
	mineral oil	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
	Reaction products of amines, dicoco alkyl and glycolic acid	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl deriv.	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
67124-09-8	1-(tert-dodecylthio)propan-2-ol	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
122-39-4	diphenylamine	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
75975-85-8	Benzene, polypropene derivatives, sulfonated, calcium salts	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
	C14-18 alpha-olefin epoxide, reaction products with boric acid	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
121878-7-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino)diethanol	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code packaging:

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 13/16



Mabanol Radon Gear ATF III MV

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant			
14.4. Packing group			
not relevant			
14.5. Environmental hazards			
not relevant			
14.6. Special precautions for user			
not relevant			

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
not relevant

SECTION 15: Regulatory information

* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: No information available.

Observe in addition any national regulations!

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

To follow: § 22 ArbSchG.

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung Luft (TA-Luft)

Klasse 1:

5.2.5: organic substances, to be indicated as total carbon at $m \geq 0.50$ kg/h: Konz. 50 mg/m^3

Anteil 1:

95 %

Water hazard class

WGK:

2 - deutlich wassergefährdend

Remark:

Self-classification (mixture; calculation rule).

15.2. Chemical Safety Assessment

not applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 14/16



Mabanol Radon Gear ATF III MV

SECTION 16: Other information

16.1. Indication of changes

1.1.	Product identifier
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
7.1.	Precautions for safe handling
7.2.	Conditions for safe storage, including any incompatibilities
8.1.	Control parameters
8.2.	Exposure controls
8.3.	Additional information
9.1.	Information on basic physical and chemical properties
11.1.	Information on toxicological effects
12.1.	Toxicity
12.5.	Results of PBT and vPvB assessment
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 15/16



Mabanol Radon Gear ATF III MV

16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen
CAS Chemical Abstracts Service
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NIOSH: National Institute of Occupational Safety and Health
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect level
NTP: National Toxicology Program
N/A: not applicable
OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)
OSHA: Occupational Safety and Health Administration
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)
PBT: persistent bioaccumulative toxic
PNEC: predicted no effect concentration
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)
SVHC: substance of very high concern
TLV: Threshold Limit Values (Schwellwert Grenzwerte)
TRGS Technische Regeln für Gefahrstoffe
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)
VOC: Volatile Organic Compounds
vPvB: very persistent and very bioaccumulative
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 3

Page 16/16



Mabanolo Radon Gear ATF III MV

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure. (...)
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version