

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Nov 2021

Print date: 19 Nov 2021

Version: 2

Page 1/11



## Mabanol Silikon-Dichtmasse

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Mabanol Silikon-Dichtmasse

Other means of identification:

Mabanol Silicone Sealing Compound

UFI:

9GMF-GK63-3231-J83T

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Barrier (Sealant)

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Koreastraße 7

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

#### 1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aerosols ( <i>Aerosol 1</i> )	H222; H229: Extremely flammable aerosol.; Pressurised container: May burst if heated.	On basis of test data.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS02

Flame

Signal word: Danger

Hazard components for labelling:

dimethylbis[(1-oxoneodecyl)oxy]stannane; O,O',O''-(methylsilylidyne)trioxime 2-pentanone; 2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime; 2-Pentanon oxime

#### Hazard statements for physical hazards

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Nov 2021

Print date: 19 Nov 2021

Version: 2

Page 2/11



## Mabanol Silikon-Dichtmasse

### Precautionary statements Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.

### Precautionary statements Storage

P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
-------------	--

### 2.3. Other hazards

No data available

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

#### Description:

active agents mixture with propellant

#### Additional information:

Propellant content <98% (propane; butane) Flam. Gas 1, H220; Press. Gas (Comp.), H280

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 37859-55-5 EC No.: 484-460-1 REACH No.: 01-2120004323-76	<b>O,O',O''-(methylsilylidyne)trioxime 2-pentanone</b> Acute Tox. 4 (H302), Eye Irrit. 2 (H319) <b>Warning</b>	< 5 weight-%
CAS No.: 58190-62-8 EC No.: 700-810-0	<b>2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime</b> Acute Tox. 4 (H302), Eye Irrit. 2 (H319) <b>Warning</b>	< 5 weight-%
CAS No.: 623-40-5 EC No.: 484-470-6	<b>2-Pentanone oxime</b> Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319) <b>Warning</b>	1 - < 2.5 weight-%
CAS No.: 68928-76-7 EC No.: 273-028-6	<b>dimethylbis[(1-oxoneodecyl)oxy]stannane</b> Acute Tox. 4 (H302), Aquatic Chronic 4 (H413), Repr. 2 (H361d), STOT RE 1 (H372) <b>Danger</b>	< 1 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### Following ingestion:

Rinse mouth. Let water be drunk in little sips (dilution effect). Get medical advice/attention if you feel unwell.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18 Nov 2021

**Print date:** 19 Nov 2021

**Version:** 2

Page 3/11



## Mabanol Silikon-Dichtmasse

### 4.2. Most important symptoms and effects, both acute and delayed

Observe risk of aspiration if vomiting occurs.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray jet. In case of major fire and large quantities: Water spray jet. alcohol resistant foam.

#### Unsuitable extinguishing media:

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Vapours can form explosive mixtures with air.

#### Hazardous combustion products:

In case of fire: Gases/vapours, toxic.

### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Pressurised container: May burst if heated. Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide adequate ventilation. Use personal protection equipment.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up:

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18 Nov 2021

**Print date:** 19 Nov 2021

**Version:** 2

Page 4/11



## Mabanol Silikon-Dichtmasse

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Protective measures

##### Advices on safe handling:

Do not pierce or burn, even after use. If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Fire prevent measures:

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

##### Advices on general occupational hygiene

Draw up and observe skin protection programme. When using do not eat, drink or smoke. Avoid contact with eyes and skin. Remove contaminated, saturated clothing immediately. Wash hands and face before breaks and after work and take a shower if necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Hints on storage assembly:

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Food and feedingstuffs.

**Storage class (TRGS 510, Germany):** 2B - Aerosol dispensers and lighters

##### Further information on storage conditions:

Temperature control required. storage temperature: 5°C - 30°C.

Protect against: UV-radiation/sunlight. Heat. Frost.

#### 7.3. Specific end use(s)

No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No data available

\*

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

Provide adequate ventilation.

##### 8.2.2. Personal protection equipment

##### Eye/face protection:

Eye glasses with side protection (EN 166).

##### Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Suitable material: NBR (Nitrile rubber). CR (polychloroprene, chloroprene rubber). FKM (fluoro rubber). Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable protective clothing: flame-resistant.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Nov 2021

Print date: 19 Nov 2021

Version: 2

Page 5/11



## Mabanol Silikon-Dichtmasse

### Respiratory protection:

Usually no personal respiratory protection necessary.

Respiratory protection necessary at: exceeding exposure limit values. aerosol or mist formation. Suitable respiratory protection apparatus: Filtering device (full mask or mouthpiece) with filter: A2, A2/P2, ABEK. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: Paste

Colour: black

Odour: not determined

#### Safety relevant basis data

parameter		at °C	Method	Remark
pH	<i>not determined</i>			
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature	<i>not determined</i>			
Flash point	<i>not determined</i>			
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	1.25 g/cm <sup>3</sup>	20 °C		
Relative density	<i>not determined</i>			
Bulk density	<i>not determined</i>			
Water solubility	<i>not determined</i>			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>			

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

### \* 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Protect from direct sunlight. Vapours can form explosive mixtures with air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18 Nov 2021

**Print date:** 19 Nov 2021

**Version:** 2

Page 6/11



## Mabanol Silikon-Dichtmasse

### 10.5. Incompatible materials

Oxidizing agent. Pyrophoric or self-heating substances.

### 10.6. Hazardous decomposition products

Stable under recommended storage and handling conditions.

## SECTION 11: Toxicological information

### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
2-Pentanon oxime CAS No.: 623-40-5 EC No.: 484-470-6	<b>LD<sub>50</sub> oral:</b> 1,133 mg/kg <b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> 658 mg/l
O,O',O''-(methylsilylydyne)trioxime 2-pentanone CAS No.: 37859-55-5 EC No.: 484-460-1	<b>LD<sub>50</sub> oral:</b> 1,234 mg/kg (Rat)
dimethylbis[(1-oxoneodecyl)oxy]stannane CAS No.: 68928-76-7 EC No.: 273-028-6	<b>LD<sub>50</sub> oral:</b> 894 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

#### Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

### \* 11.2. Information on other hazards

#### Endocrine disrupting properties:

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Nov 2021

Print date: 19 Nov 2021

Version: 2

Page 7/11



## Mabanol Silikon-Dichtmasse

### SECTION 12: Ecological information

#### 12.1. Toxicity

**Additional ecotoxicological information:**

No information available.

#### 12.2. Persistence and degradability

**Additional information:**

No information available.

#### 12.3. Bioaccumulative potential

**Accumulation / Evaluation:**

No information available.

#### 12.4. Mobility in soil

No information available.

\* **12.5. Results of PBT and vPvB assessment**

not applicable.

\* **12.6. Endocrine disrupting properties**

No information available.

\* **12.7. Other adverse effects**

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Waste treatment options





**Appropriate disposal / Product:**

Consult the appropriate local waste disposal expert about waste disposal.

**Appropriate disposal / Package:**

Consult the appropriate local waste disposal expert about waste disposal.

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
UN 1950	UN 1950	UN 1950	UN 1950
<b>14.2. UN proper shipping name</b>			
AEROSOLS	AEROSOLS	AEROSOLS	AEROSOLS
<b>14.3. Transport hazard class(es)</b>			
 2.1	 2.1	 2.1	 2.1
<b>14.4. Packing group</b>			
not determined	not determined	not determined	not determined
<b>14.5. Environmental hazards</b>			
No	No	No	No

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Nov 2021

Print date: 19 Nov 2021

Version: 2

Page 8/11



## Mabanol Silikon-Dichtmasse

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.6. Special precautions for user</b>			
<b>Special provisions:</b> <b>Limited quantity (LQ):</b> 1L <b>Excepted Quantities (EQ):</b> Code: E0 <b>Hazard identification number (Kemler No.):</b> <b>Classification code:</b> 5F <b>tunnel restriction code:</b> (D) <b>Remark:</b>	<b>Special provisions:</b> <b>Excepted Quantities (EQ):</b> <b>Classification code:</b> 5F <b>Remark:</b>	<b>Special provisions:</b> <b>Limited quantity (LQ):</b> 1L <b>Excepted Quantities (EQ):</b> Code: E0 <b>EmS-No.:</b> F-D, S-U <b>Remark:</b>	<b>Special provisions:</b> <b>Excepted Quantities (EQ):</b> <b>Remark:</b>

**14.7. Maritime transport in bulk according to IMO instruments**  
not applicable.

## SECTION 15: Regulatory information

\* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

### 15.1.1. EU legislation

#### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

- P3a 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions): 3

Observe in addition any national regulations!

### 15.1.2. National regulations

#### [DE] National regulations

#### Störfallverordnung

##### for substances contained in the product:

Hazard categories:

- P3a 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids

Named dangerous substances:

- Liquefied flammable gases, Category 1 or 2 (including liquefied petroleum gas) and natural gas

##### for substances possibly developing during an incident:

Hazard categories:

- P3a 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids

Named dangerous substances:

- Liquefied flammable gases, Category 1 or 2 (including liquefied petroleum gas) and natural gas

#### Water hazard class

##### WGK:

2 - deutlich wassergefährdend

##### Remark:

Self-classification (mixture; calculation rule).



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18 Nov 2021

**Print date:** 19 Nov 2021

**Version:** 2

Page 9/11



## Mabanol Silikon-Dichtmasse

### \* 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### \* 16.1. Indication of changes

1.1.	Product identifier
3.2.	Mixtures
4.1.	Description of first aid measures
8.2.	Exposure controls
10.4.	Conditions to avoid
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
12.7.	Other adverse effects
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
15.2.	Chemical Safety Assessment
16.1.	Indication of changes
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18 Nov 2021

**Print date:** 19 Nov 2021

**Version:** 2

Page 10/11



## Mabanol Silikon-Dichtmasse

### 16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)  
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen  
CAS Chemical Abstracts Service  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NIOSH: National Institute of Occupational Safety and Health  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)  
OSHA: Occupational Safety and Health Administration  
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)  
PBT: persistent bioaccumulative toxic  
PNEC: predicted no effect concentration  
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)  
SVHC: substance of very high concern  
TLV: Threshold Limit Values (Schwellwert Grenzwerte)  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)  
VOC: Volatile Organic Compounds  
vPvB: very persistent and very bioaccumulative  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

**Classification according to Regulation (EC) No 1272/2008 [CLP]:**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aerosols ( <i>Aerosol 1</i> )	H222; H229: Extremely flammable aerosol.; Pressurised container: May burst if heated.	On basis of test data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18 Nov 2021

**Print date:** 19 Nov 2021

**Version:** 2

Page 11/11



## Mabanol Silikon-Dichtmasse

### \* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child. (...)
H372	Causes damage to organs through prolonged or repeated exposure. (...)
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version