

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 1/14

## Mabanol Xenon Alpha Stellar 0W-40

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Mabanol Xenon Alpha Stellar 0W-40

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Motor oil

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Koreastraße 7  
20457 Hamburg  
Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

E-mail (competent person): giznord@giz-nord.de

#### 1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### \* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling:

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate); C14-16-18 Alkyl phenol; Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated; Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

##### Supplemental hazard information

EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Additional information:

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

#### \* 2.3. Other hazards

Other adverse effects:

The mixture contains the following substances fulfilling the PBT-vPvB criteria according to REACH Annex XIII: C14-16-18 Alkyl phenol.

### SECTION 3: Composition/information on ingredients

#### \* 3.2. Mixtures

Additional information:

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 2/14

## Mabanol Xenon Alpha Stellar 0W-40

method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68037-01-4 EC No.: 500-183-1 REACH No.: 01-2119486452-34	<b>Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated</b> Asp. Tox. 1 (H304) <b>Danger</b>	45 - < 50 weight-%
CAS No.: 72623-87-1 EC No.: 276-738-4 Index No.: 649-483-00-5 REACH No.: 01-2119474889-13	<b>Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based</b> Asp. Tox. 1 (H304) <b>Danger</b>	7 - < 10 weight-%
CAS No.: 72623-86-0 EC No.: 276-737-9 REACH No.: 01-2119474878-16	<b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based</b> Asp. Tox. 1 (H304) <b>Danger</b>	1 - < 3 weight-%
CAS No.: 36878-20-3 EC No.: 253-249-4 REACH No.: 01-2119488911-28	<b>bis(nonylphenyl)amine</b> Aquatic Chronic 4 (H413)	1 - < 3 weight-%
CAS No.: 93819-94-4 EC No.: 298-577-9 REACH No.: 01-2119543726-33	<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> Aquatic Chronic 2 (H411), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) <b>Danger</b>	1 - < 3 weight-%
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	<b>Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)</b> Asp. Tox. 1 (H304) <b>Danger</b>	1 - < 3 weight-%
CAS No.: 1190625-94-5 EC No.: 931-468-2 REACH No.: 01-2119498288-19	<b>C14-16-18 Alkyl phenol</b> STOT RE 2 (H373), Skin Sens. 1 (H317) <b>Warning</b>	0.5 - < 1 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### \* 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### Following inhalation:

Remove casualty to fresh air and keep warm and at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

#### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. If eye irritation persists: Get medical advice/attention.

#### Following ingestion:

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Observe risk of aspiration if vomiting occurs.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 3/14

## Mabanol Xenon Alpha Stellar 0W-40

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Sand.

In case of major fire and large quantities: Water spray jet. Water mist.

#### Unsuitable extinguishing media:

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

#### Hazardous combustion products:

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Sulphur dioxide (SO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>).

### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment. Ventilate affected area. Special danger of slipping by leaking/spilling product.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Avoid: generation/formation of aerosols.

Generation/formation of mist.

##### Fire prevent measures:

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 4/14

## Mabanol Xenon Alpha Stellar 0W-40

Fire class: B (Fires of liquids or liquid turning substances).

### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Apply skin care products after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Used working clothes should not be worn outside the work area. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

#### Hints on storage assembly:

Do not store together with: Gas. Explosives. P8 OXIDISING LIQUIDS AND SOLIDS. Radioactive substances. Infectious substances.

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

Temperature control required. Keep container tightly closed.  
Protect against: Light. UV-radiation/sunlight. Air.

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### \* 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

No data available

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	2.73 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	5.58 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	1.19 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, local effects
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	0.97 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	0.74 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	2.5 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 5/14

## Mabanol Xenon Alpha Stellar 0W-40

Substance name	DNEL value	① DNEL type ② Exposure route
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	5 mg/kg bw/day	① DNEL worker ② Acute - dermal, systemic effects
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	0.25 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	8.31 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.58 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	1.17 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	0.3 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	9.33 mg/kg	① PNEC secondary poisoning
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	0.412 mg/l	① PNEC aquatic, freshwater
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	0.041 mg/l	① PNEC aquatic, marine water
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	1 mg/l	① PNEC sewage treatment plant
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	1 mg/kg	① PNEC sediment, freshwater
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	0.1 mg/kg	① PNEC sediment, marine water
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	100 mg/kg	① PNEC soil
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.004 mg/l	① PNEC aquatic, freshwater
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.0046 mg/l	① PNEC aquatic, marine water
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.012 mg/kg	① PNEC sewage treatment plant

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 6/14

## Mabanol Xenon Alpha Stellar 0W-40

Substance name	PNEC Value	① PNEC type
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.012 mg/kg	① PNEC sediment, freshwater
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.001 mg/kg	① PNEC sediment, marine water
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	10.67 mg/kg	① PNEC secondary poisoning
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.021 mg/l	① PNEC aquatic, intermittent release
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) CAS No.: 64742-54-7 EC No.: 265-157-1	9.33 mg/kg	① PNEC secondary poisoning
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	0.1 mg/l	① PNEC aquatic, freshwater
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	0.01 mg/l	① PNEC aquatic, marine water
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	100 mg/l	① PNEC sewage treatment plant
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	4,266 mg/kg	① PNEC sediment, freshwater
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	422.6 mg/kg	① PNEC sediment, marine water
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	852.58 mg/kg	① PNEC soil

### \* 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Provide adequate ventilation.

#### 8.2.2. Personal protection equipment



#### Eye/face protection:

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166.

#### Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Suitable material: NBR (Nitrile rubber). FKM (fluoro rubber). CR (polychloroprene, chloroprene rubber). Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable protective clothing: flame-resistant.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 7/14

## Mabanol Xenon Alpha Stellar 0W-40

### Respiratory protection:

Usually no personal respirative protection necessary.

Respiratory protection necessary at: exceeding exposure limit values. aerosol or mist formation. Suitable respiratory protection apparatus: Filtering device (full mask or mouthpiece) with filter: A2, A2/P2, ABEK. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### 8.2.3. Environmental exposure controls

No data available

### \* 8.3. Additional information

air limit values:

Possibility of exposure to Aerosols (Mineral oil)

Limit value (TLV-TWA) = 5 mg/m<sup>3</sup> (Source: ACGIH)

Limit value (TLV-STEL) = 10 mg/m<sup>3</sup> (Source: ACGIH)

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** clear

**Odour:** not determined

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	not determined		
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	236 °C		① COC
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	0.8437 g/cm <sup>3</sup>	15 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	immiscible		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	77.15 mm <sup>2</sup> /s	40 °C	
Pour point	-54 °C		① ASTM D 97-66

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### \* 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 8/14

## Mabanol Xenon Alpha Stellar 0W-40

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1	<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat) <b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >5.2 mg/l 4 h (Rat) OECD 403
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat) OECD 401 <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit) OECD 402
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat) OECD 401
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	<b>LD<sub>50</sub> oral:</b> 2,600 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >3,160 mg/kg (Rabbit)
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) CAS No.: 64742-54-7 EC No.: 265-157-1	<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat) OECD 401 <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit) OECD 402
Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat) OECD 401 <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit) OECD 402 <b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >5.53 mg/l 4 h (Rat) OECD 403
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 9/14

## Mabanol Xenon Alpha Stellar 0W-40

### Respiratory or skin sensitisation:

Contains: C14-16-18 Alkyl phenol. May produce an allergic reaction.  
May cause sensitisation especially in sensitive humans.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

### Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

### \* 11.2. Information on other hazards

#### Endocrine disrupting properties:

No information available.

## SECTION 12: Ecological information

### \* 12.1. Toxicity

Substance name	Toxicological information
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1	<b>LC<sub>50</sub></b> : >1,000 mg/l 4 d (fish, Pimephales promelas (fathead minnow)) USEPA (1975) <b>EC<sub>50</sub></b> : >1,000 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202 <b>NOEC</b> : 125 mg/l 21 d (crustaceans, Daphnia magna (Big water flea))
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	<b>LC<sub>50</sub></b> : >100 mg/l 4 d (fish, Danio rerio (zebrafish)) <b>EC<sub>50</sub></b> : >100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202 <b>ErC<sub>50</sub></b> : >100 mg/l 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201 <b>NOEC</b> : 10 mg/l 33 d (fish, Danio rerio (zebrafish)) OECD 210 <b>NOEC</b> : 4.45 mg/l 21 d (crustaceans, Daphnia magna (Big water flea)) OECD 211
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	<b>LC<sub>50</sub></b> : 4.5 mg/l 4 d (fish, Oncorhynchus mykiss (Rainbow trout)) <b>EC<sub>50</sub></b> : 5.4 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) <b>ErC<sub>50</sub></b> : 2.1 mg/l 3 d (Algae/water plant, Selenastrum capricornutum) <b>NOEC</b> : >0.1 - <1 mg/l 21 d (crustaceans, Daphnia magna (Big water flea))
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) CAS No.: 64742-54-7 EC No.: 265-157-1	<b>NOEC</b> : 10 mg/l 21 d (crustaceans, Daphnia magna (Big water flea)) OECD 211
Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	<b>EC<sub>50</sub></b> : >100 mg/l 2 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201 <b>NOEC</b> : >10 mg/l 21 d (crustaceans, Daphnia magna (Big water flea)) OECD 211 <b>EC<sub>50</sub></b> : >10,000 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 10/14

## Mabanol Xenon Alpha Stellar 0W-40

Substance name	Toxicological information
	<b>NOEC:</b> >100 mg/l 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201 <b>NOEC:</b> >100 mg/l 4 d (fish)
C14-16-18 Alkyl phenol <b>CAS No.:</b> 1190625-94-5 <b>EC No.:</b> 931-468-2	<b>LC<sub>50</sub>:</b> >100 mg/l 4 d (fish, Cyprinus carpio (Common Carp)) <b>EC<sub>50</sub>:</b> >100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))

### 12.2. Persistence and degradability

Substance name	Biodegradation	Remark
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated <b>CAS No.:</b> 68037-01-4 <b>EC No.:</b> 500-183-1	—	Not readily biodegradable (according to OECD criteria)
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based <b>CAS No.:</b> 72623-86-0 <b>EC No.:</b> 276-737-9	—	Not readily biodegradable (according to OECD criteria)
bis(nonylphenyl)amine <b>CAS No.:</b> 36878-20-3 <b>EC No.:</b> 253-249-4	—	Not readily biodegradable (according to OECD criteria)
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) <b>CAS No.:</b> 93819-94-4 <b>EC No.:</b> 298-577-9	—	Not readily biodegradable (according to OECD criteria)
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) <b>CAS No.:</b> 64742-54-7 <b>EC No.:</b> 265-157-1	—	Not readily biodegradable (according to OECD criteria)
Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based <b>CAS No.:</b> 72623-87-1 <b>EC No.:</b> 276-738-4	—	Not readily biodegradable (according to OECD criteria)

#### Additional information:

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

### \* 12.3. Bioaccumulative potential

Substance name	Log K <sub>ow</sub>	Bioconcentration factor (BCF)
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated <b>CAS No.:</b> 68037-01-4 <b>EC No.:</b> 500-183-1	6.5	
bis(nonylphenyl)amine <b>CAS No.:</b> 36878-20-3 <b>EC No.:</b> 253-249-4	11.87	411 Species: Cyprinus carpio (Common Carp)
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) <b>CAS No.:</b> 93819-94-4 <b>EC No.:</b> 298-577-9	0.9	

#### Bioconcentration factor (BCF):

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 11/14

## Mabanol Xenon Alpha Stellar 0W-40

### \* 12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) CAS No.: 64742-54-7 EC No.: 265-157-1	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The mixture contains the following substances fulfilling the PBT/vPvB criteria according to REACH Annex XIII: C14-16-18 Alkyl phenol. May cause damage to organs through prolonged or repeated exposure.

### \* 12.6. Endocrine disrupting properties

No information available.

### \* 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code packaging

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

\*: Evidence for disposal must be provided.

#### Waste treatment options

##### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

##### Appropriate disposal / Package:

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 12/14

## Mabanol Xenon Alpha Stellar 0W-40

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant.

### SECTION 15: Regulatory information

#### \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

###### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: No information available.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: No information available.

Observe in addition any national regulations!

##### 15.1.2. National regulations

###### [DE] National regulations

###### Störfallverordnung

###### for substances contained in the product:

This product is not assigned to a hazard category.

###### Technische Anleitung Luft (TA-Luft)

###### Klasse 1:

5.2.5: organic substances, to be indicated as total carbon at  $m \geq 0.50$  kg/h: conc.  $50 \text{ mg/m}^3$

###### Anteil 1:

40 %

###### Water hazard class

###### WGK:

2 - deutlich wassergefährdend

###### Remark:

Self-classification (mixture; calculation rule).

#### 15.2. Chemical Safety Assessment

not applicable.

#### \* 15.3. Additional information

Regulation (EU) 649/2012 (PIC): not relevant.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 13/14

## Mabanol Xenon Alpha Stellar 0W-40

### SECTION 16: Other information

#### \* 16.1. Indication of changes

2.2.	Label elements
2.3.	Other hazards
3.2.	Mixtures
4.1.	Description of first aid measures
8.1.	Control parameters
8.2.	Exposure controls
8.3.	Additional information
10.2.	Chemical stability
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
12.7.	Other adverse effects
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
15.3.	Additional information
16.1.	Indication of changes
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

#### 16.2. Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)  
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen  
CAS Chemical Abstracts Service  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC<sub>50</sub>: Lethal concentration, 50 percent  
LD<sub>50</sub>: Lethal dose, 50 percent  
NIOSH: National Institute of Occupational Safety and Health  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OEL: Occupational Exposure limit (Arbeitsplatzgrenzwert)  
OSHA: Occupational Safety and Health Administration  
PEL: permissible exposure limit (Zulässiger Expositionsgrenzwert)  
PBT: persistent bioaccumulative toxic  
PNEC: predicted no effect concentration  
REL: Recommended exposure limit (Empfohlene Expositionsgrenze)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit (Kurzzeitgrenzwert) (15 min)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2022

Print date: 30 Mar 2022

Version: 5



Page 14/14

## Mabanol Xenon Alpha Stellar 0W-40

SVHC: substance of very high concern  
TLV: Threshold Limit Values (Schwellwert Grenzwerte)  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
TWA: Time Weighted Average (Zeitlich gewichteter Mittelwert) (8 h)  
VOC: Volatile Organic Compounds  
vPvB: very persistent and very bioaccumulative  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### \* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### 16.6. Training advice

No data available

### 16.7. Additional information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version